



"Customers are the most important visitors on our premises. They are not dependent on us, we are dependent on them. They are not an interruption in our work, they are the purpose of it. They are not an outsider in our business, they are the part of it. We are not doing them the favor by serving them, they are doing us a favor by giving us the opportunity to do so."



STONE UNIVERSE INC.
NATURAL STONE



Product Catalog
Volume -20




ABOUT STONE UNIVERSE

Stone Universe Inc. is one of the biggest natural stone wholesalers in the United States. Our journey began in 1999 as a wholesale distributor of natural stones in Gilroy, California. Shortly, began the expansion of natural stone products with a focus on hardscaping. Over the years, we added a number of products like flagstones, pool coping, wall caps, column caps, driveway pavers, etc. in a wide variety of colors and finishes to meet the standards of the industry.

All the products until this point were imported from India. In 2010, we took a step further by introducing products from China. The increasing demand for products and the growth of the company stipulated the need for a bigger facility. In 2012, Stone Universe moved to a bigger location in San Lorenzo, California and this year also marked the introduction of travertine products from Turkey. While the product lines increased steadily, to facilitate the distribution of products throughout the country, Stone Universe established distribution centers in different parts of the country. Apart from corporate location, four other distribution centers were established in a span of three years with a steady growth

We offer a wide range of products - pool coping, column caps, wall caps, pavers patterns in different sizes and finish, treads, driveway pavers, cobblestone, flagstone, ledge stones, slabs, etc. which is ideal for both indoor and outdoor applications for projects of various sizes. Every year we introduce new products.



DISCLAIMER	05
Why Natural Stones?	06 - 07
BASALT	08 - 11
QUARTZITE	12 - 15
Antique Gold	14
SLATE	16 - 19
California Gold	17
SANDSTONE	20 - 43
Grey Mist	22
Grey Mist Blend	25
Autumn Mist	26
Ebony Black	30

Rainbow	32
Teakwood	34
Autumn Brown	36
Dusty Wave	38
Brown Wave	40
Vintage White	42
LIMESTONE	44 - 55
Antique Black	46
Indigo Bluestone	48
Indian Bluestone	50
Lime Black	52
French Vanilla	54

TRAVERTINE	56 - 61
Antique Ivory	58
Antique Walnut	59
Antique Gris	60
Antique Scabos	61
STONE TYPES	62 - 85
Bullnose	62
Eased Edge	63
Flagstone	64
Cobblestone	65
Column Cap	66
Wall Cap	67

Ledge - Panel Corner	68
Steps	71
Treads	72
Slab	74
Window Sill	75
Thin Veneer	76
Stepping Stone	78
Pebbles	79
Paver Versailles Pattern	80
Paver Ashlar Pattern	81
Driveway Pavers	85
DISPLAY RACKS	86 - 87
PACKING	88 - 89



Committed to **YOU ALWAYS**

Serving the greater part of **The United States and Canada**



East



Midwest



Northwest



South



West



West Colorado



West, East And South -
Porcelain Paver

LOCATIONS

Stone Universe (Corporate)
2333 Grant Avenue,
San Lorenzo, CA 94580

Stone Universe (South)
2800 N Alexander Dr,
Baytown, TX 77520

Stone Universe (East)
7521 Lake Drive,
Rosedale, MD 21237

Stone Universe (Northwest)
5808 S 196th St,
Kent, WA 98032

Stone Universe (Southwest)
9052 Rosecrans Ave,
Bellflower, CA 90706

DISCLAIMER



Variations in color, texture, veining, clefting, etc. is an aspect of natural stones & should not be considered as flaws. Natural Stones are composed of minerals which makes it susceptible to various chemicals & harsh environments. Exposure to elements like sun, rain, snow, etc. over a period of time can affect the look of natural stones. Some of the most common effects include oxidation (or rusting), flaking, weathering, etc. We strongly discourage the use of acidic cleaners and suggest seeking professional help if necessary. It is recommended to seal natural stones periodically to reduce environmental effects.

All our products have dimensional tolerances which are an industry standard. Further, we recommend using the standard installation process and sealers recommended by the American National Standards Institute(ANSI) for natural stones as the processes vary from installer to installer. It is extremely significant to inspect the material before fabrication or installation as we do not take any liability once the product is altered or installed.

**NATURAL STONE
DISCLAIMER**



Why Natural Stones?

ENDURANCE

Natural stones are one of the oldest building materials in existence. The use of natural stones can be traced back to the great pyramids of Egypt, the streets of ancient Rome, architectural buildings like the Colosseum, etc. With regular maintenance and care, natural stones have the potential to last literally for decades.

UNIQUENESS

Natural stone encompasses a wide variety of materials like Limestone, Sandstone, Slate, etc. each with its own unique properties, color and texture. The presence of impurities gives inimitable color variation in every piece of stone with a rich textured appearance. Every piece of stone is unique yet maintains a comprehensive overall appearance.

AGING.

One advantage of using natural stone is the character of the natural stone changes with age as the stone wears, fades and matures. The weathering effect that occurs with years of use is often considered attractive. Weathering can also be prevented by periodic application of stone sealers on a regular basis.

ECO-FRIENDLY

Natural Stone is an organic product quarried from the earth and is available in abundance. Natural stone does not contain any harmful chemicals and ensures a safer environment. Further, natural stones can be salvaged, reused, and recycled.

EASE OF MAINTENANCE

With the use of recommended cleaners and sealing the stone on a regular basis, makes it relatively easy to clean. With little care and precautions, the natural beauty of the stone can be preserved.

The above-mentioned advantages of natural stone make it a popular choice of material for construction and architectural purposes.



BASALT

Basalt is an igneous, volcanic rock that is produced by hardened lava. Basalt is mafic, which means it contains minerals with significant iron and magnesium. Other minerals making up basalt include pyroxene, plagioclase feldspar, amphibole, and olivine.

Basalt historically was used in street pavers & stadium seating in ancient Rome. Today, basalt finds its use in several industrial applications, including building materials and thermal insulators. They are used as aggregates to increase the strength of concrete, asphalt paving and rock filtering, agents. Additionally, they are used as wall panels, countertops, and fireplaces among others due to high abrasion resistance & compressive strength. They are also great as interior decoration & decorative stone. The insulating property is one notable characteristic basalt, its insulation value is three times more than asbestos without any toxic hazards. High tensile strength, vibration resistance, and durability make it an ideal choice for hardscaping.





BASALT



Basalt has a color range from charcoal grey to black. Basalt is a metamorphic stone, very dense, and durable which makes good paving material. A flamed top, unique lightly textured surface offers a slip-resistant surface that complements a wide variety of applications.

FINISH : Thermal finish, edges are saw-cut, chiseled or a mixture of both depending on the product.

COLOR VARIATION : ★★☆☆☆

TYPE	Size in Inches (Approx.)
FLAGSTONE (Sandbase)	16"-30"x1¼"±
PAVER ASHLAR PATTERN* (4 Sides saw cut)	1"±
PAVER RANDOM PATTERN	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
SLAB (4 Sides saw cut)	72"x27"x2"±
TREADS (3 Sides eased edge & 1 long side rock face)	48"x12"x2"±
	72"x12"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing ¼" under.



ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 24"x24"±
(4 Sides saw cut)



FLAGSTONE (Sandbase)

16"-30"x1¼"±



SLAB (4 Sides saw cut) 72"x27"x2"±



TREADS (3 Sides eased edge & 1 long side rock face)

Available Sizes
48"x12"x2"±
72"x12"x2"±





QUARTZITE

Quartzite is a hard, non-foliated metamorphic rock formed from pure quartz sandstone. Sandstone is converted into quartzite due to heat and pressure of tectonic compression of the earth's crust. Pure quartzite is usually white to grey, though quartzites often occur in various shades of pink and red due to the presence of iron oxide in varying amounts. Mineral impurities change the color of stone to yellow, green, blue and orange, etc.

Quartzite is extremely durable and makes it suitable for use in most demanding applications. Quartzite is harder than granite & marble, it stands up better to abrasion in stair treads, floor tiles, and countertops. It is also more resistant to most chemicals and environmental conditions. The glossy surface and the color variation makes it a suitable choice for decorative and landscaping purposes. It is most commonly used in indoor flooring, countertops and fireplace surround.





ANTIQUÉ GOLD



Antique gold is tumbled quartzite showcasing a blend of shimmering colors like gold, pink, brown, turquoise, etc. to form unique random patterns within the project while maintaining a comprehensive overall appearance. The high comprehensive strength of quartzite makes it suitable for a wide range of applications.

FINISH : Tumbled finish, edges are saw-cut or smooth edges.

COLOR VARIATION : ★★★★★

TYPE	Size in Inches (Approx.)
LEDGE STONE-PANEL	6"x24"x3/4"±
LEDGE STONE-CORNER	6"x18"x6"x3/4"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1"±

LEDGE STONE is non cement backing.
*PAVER VERSAILLES PATTERN sizes include 8"x8"
8"x16", 16"x16", 16"x24". Nominal sizing 1/2" under

PAVER VERSAILLES PATTERN 1"±
(Sold in 16 sq.ft increments)
16 sq.ft - Pattern Includes
8"x8" 4 pieces
8"x16" 2 pieces
16"x16" 4 pieces
16"x24" 2 pieces

LEDGE
Panel - 6"x24"x3/4"±
Corner - 6"x18"x6"x3/4"±

Corner

Panel



CALIFORNIA GOLD

SLATE

Slate is a fine-grained, foliated, homogeneous metamorphic rock obtained from a sedimentary rock of type shale (composed of clay or volcanic ash) under relatively low pressure and temperature conditions. Foliation refers to repetitive layering in metamorphic rocks. Slate is characterized by fine foliation along which it breaks to leave smooth, flat surfaces. The color of a slate is determined by its mineral composition. Slates usually range from shades of light to dark grey in color.

Slate is widely used for external flooring, internal flooring, and cladding. Slate floors are commonly laid in outdoor porches, basements, bathrooms, and kitchens. Internal slate floors are durable, versatile and elegant. The natural variation of slate allows homeowners and interior decorators to create unique, one-of-a-kind environments. Slate floors are durable, nonporous, and require little maintenance. Due to foliation, when the slate is chiseled, it creates a distinctive elegant look compared to other natural and artificial stones which makes it a popular choice for wall caps and column caps.

Slate Disclaimer :

Water can seep in between layers of slate. In weather conditions where water is subjected to freeze/thaw, due to thermal expansion, the compressed layers begin to split and deteriorate. Not all slates are Freeze/Thaw resistant, so it's highly recommended to seal your product.

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1 1/2"±
COLUMN CAP (4 Sides rock face)	26"x26"x2"±
LEDGE STONE-PANEL	30"x30"x2"±
LEDGE STONE-CORNER	6"x24"x 3/4"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	6"x18"x6"x 3/4"±
	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
SLAB (4 Sides saw cut)	60"x36"x2"±
	48"x12"x2"±
	48"x14"x2"±
TREADS (3 Sides saw cut & 1 long side rock face)	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
WALL CAP (2 Long side rock face & 2 short side saw cut)	14"x24"x2"±
LEDGE STONE is non cement backing.	
*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24" Nominal sizing 1/2" under	

California gold is a tumbled slate that depicts a dynamic range of colors from gold, rust, browns, greys, etc. which creates mesmerizing and stunning interior and exterior surfaces. The robust coloring makes room for inexhaustible design ideas.

FINISH: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★

Disclaimer : Not recommended for Frost area.





CALIFORNIA GOLD



COLUMN CAP (4 Sides rock face)

26"x26"x2"±
30"x30"x2"±



BULLNOSE (1 Long side bullnose)

12"x24"x1½"±



WALL CAP

(2 Long sides rock face & 2 short side saw cut)
14"x24"x2"±



SLAB (4 Sides saw cut)

60"x36"x2"±



TREADS (3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



ASHLAR PATTERN 1"±
Paver separate sizes
12"x12", 12"x24", 24"x24"±
(4 Sides saw cut)

LEDGE
Panel - 6"x24"x¾"±
Corner - 6"x18"x6"x¾"±



SANDSTONE

Sandstone is one of the most common types of sedimentary rock and is made up of three components - sediment particles, matrix, and cement. The sediment particles are pieces of minerals and fragments of rock. Matrix is a fine material that is present between the sediment and cement is the secondary mineral that binds the sediment to rock.

Sandstone displays a lot of character, depending on the mix of matrix and cement, it portrays a wide range of colors from white to black, with gray, brown, red, pink and buff in between. It is durable and versatile, which makes it an ideal choice for indoors and outdoors. Sandstones are used in indoor settings such as flooring, kitchen countertops & backsplashes. Because of its natural ability to regulate heat, sandstone makes for excellent paving, especially for pool sides. It's naturally non-slip, stays cool under foot in the summer and radiates heat in the winter. It can be used to build outdoor ovens, fireplaces, patios or porches, retaining walls and walkways.




GREY MIST



AUTUMN MIST



EBONY BLACK




RAINBOW



TEAKWOOD



AUTUMN BROWN



DUSTY WAVE



BROWN WAVE



VINTAGE WHITE

Disclaimer :
The hardness of sandstone varies depending on the binding material (cement). If the sediment particles are cemented by calcite, the sandstone will seem softer.



GREY MIST



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1 1/2"±
COLUMN CAP (4 Sides rock face)	24"x24"x2"±
EASED EDGE (1 Long side eased edge)	14"x24"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
SLAB (4 Sides rock face)	24"x36"x1"±
	72"x36"x2"±
STEPPING STONE -IRREGULAR	18"-24"x1 1/4"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
WALL CAP (2 Long side rock face & 2 short side saw cut)	14"x24"x2"±
WINDOW SILL (1 Long side rock face)	24"x3"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/2" under

Grey mist features a pallet of mellow to dark greys combined with occasional splashes of rust. Rust spots are general characteristics of the stone. Fairly consistent grey sandstone can blend into a wide range of color schemes creating contemporary and modern designs.

FINISH : Natural finish, edges are saw-cut, bullnose, eased-edge chiseled edges or a mixture depending on the product.

COLOR VARIATION : ★★☆☆☆

*Disclaimer : Grey mist sandstone is rich in iron content, which over time has the potential to discolor because of oxidation (or rusting).





GREY MIST BLEND



COLUMN CAP (4 Sides rock face)

24"x24"x2"±



BULLNOSE (1 Long side bullnose)

12"x24"x1½"±



WALL CAP

(2 Long side rock face & 2 short side saw cut)

14"x24"x2"±



EASED EDGE (1 Long side eased edge)

14"x24"x2"±



WINDOW SILL

(1 Long side rock face)

24"x3"x2"±




THIN VENEER

(ledge) 1"±




THIN VENEER

(Antique Castle) 1"±



THIN VENEER

(Ashlar) 1"±



TYPE	Size in Inches (Approx.)
Thin Veneer - ledge (Flat & Corner)	1"±
Thin Veneer - Ashlar (Flat & Corner)	1"±
Thin Veneer - Antique Castle (Flat & Corner)	1"±



AUTUMN MIST



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 Sides rock face)	24"x24"x2"±
	26"x26"x2"±
	30"x30"x2"±
LEDGE STONE-PANEL	6"x24"x½"±
LEDGE STONE-CORNER	6"x18"x6"x½"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
SLAB (4 Sides rock face)	24"x36"x1"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPPING STONE -IRREGULAR	18"-24"x1½"±
STEPS (4 Sides rock face)	48"x16"x6"±
THIN VENEER- Ledge (Flat & Corner)	1"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
WALL CAP (2 Long sides rock face & 2 short side saw cut)	14"x24"x2"±
WINDOW SILL (1 Long side rock face)	24"x3"x2"±

LEDGE STONE is non cement backing.
 *PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing ½" under

A beige-brown colored sandstone characterized by beautiful, unique fern-like fossil patterns, brown swirls throughout the surface. Every piece is unique and distinct, and the patterns add character and enhance the looks of any surface.

FINISH : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

COLOR VARIATION : ★★★★★

***Disclaimer :** Autumn Mist is not recommended for installation around or near pools, spas and hot tubs.

COLUMN CAP (4 Sides rock face)

24"x24"x2"±
 26"x26"x2"±
 30"x30"x2"±



BULLNOSE (1 Long side bullnose)

12"x24"x1½"±



WALL CAP

(2 Long side rock face & 2 short side saw cut)
 14"x24"x2"±



THIN VENEER

(ledge) 1"±



TREADS (3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
 48"x14"x2"±
 72"x12"x2"±
 72"x14"x2"±
 72"x18"x2"±
 72"x24"x2"±





STEPS (4 Sides rock face)

48"x16"x6"±



STEPPING STONES (Irregular)

18"-24"x1¼"±



SLAB (4 Sides rock face) 72"x36"x2"±



WINDOW SILL

(1 Long side rock face)

24"x3"x2"±



ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 18"x18",
18"x24", 24"x24", 24"x36"±
(4 Sides saw cut)



Corner

LEDGE

Panel - 6"x24"x¾"±
Corner - 6"x18"x6"x¾"±



Panel



EBONY BLACK



Ebony Black sandstone displays medium to dark shades of gray and beige and can be used to create intriguing designs. The visual appeal of the marbled pattern adds a special character to any interior and exterior design.

Finish : Natural finish, Edges are saw-cut, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★★☆

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	26"x26"x2"±
	30"x30"x2"±
PAVER(4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
SLAB (4 Sides rock face)	72"x36"x2"±
	48"x12"x2"±
	48"x14"x2"±
TREADS (3 Sides saw cut & 1 long side rock face)	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/2" under



ASHLAR PATTERN 1"±
Paver separate sizes
12"x12", 12"x24", 24"x24"±
(4 Sides saw cut)

COLUMN CAP (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



SLAB (4 Sides rock face) 72"x36"x2"±



TREADS (3 Sides saw cut & 1 long side rock face)

- 48"x12"x2"±
- 48"x14"x2"±
- 72"x12"x2"±
- 72"x14"x2"±
- 72"x18"x2"±
- 72"x24"x2"±





RAINBOW



This beige sandstone displays a multi verse of dark brown and golden yellow rippled markings and veins throughout the surface. Every piece of stone has its own unique random pattern reminiscent of the surface of the wood. Its smooth, sawn wood-like finish gives a crisp and clean feel making it suitable for both internal and external purposes.

Finish : Sawn finish, Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★★★

***Disclaimer : Rainbow sandstone is relatively porous sandstone, sealing the stone before installation is highly recommended.**

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	14"x24"x2"±
COLUMN CAP (4 Sides rock face)	26"x26"x2"± 30"x30"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"± 24"x36"x1"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPS (3 Sides rock face & 1 long side saw cut)	48"x16"x6"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"± 72"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/2" under

ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 18"x18"±
18"x24", 24"x24", 24"x36"±
(4 Sides saw cut)



COLUMN CAP (4 Sides rock face)

26"x26"x2"±
30"x30"x2"±



BULLNOSE (1 Long side bullnose)

14"x24"x2"±



STEPS

(3 Sides rock face & 1 long side saw cut)
48"x16"x6"±



SLAB (4 Sides rock face)

72"x36"x2"±



TREADS (3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±





TEAKWOOD



This beautiful and vibrant sandstone displays veins and patterns running through its orange-toned surface. Every stone surface has its own unique pattern and swirls ranging from cream, beige, pink, red, purple, etc. that give its highly lustrous appearance. It's smooth, sawn finish and distinctive appearance can make bold yet astonishing interiors and exteriors for your home.

Finish : Sawn finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★★★

***Disclaimer :** Teakwood sandstone is relatively porous sandstone, sealing the stone before installation is highly recommended Installation.

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	26"x26"x2"±
	30"x30"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
SLAB (4 Sides rock face)	24"x36"x1"±
	72"x36"x2"±
STEPS (3 Sides rock face & 1 long side saw cut)	48"x16"x6"±
	48"x12"x2"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/2" under

ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 18"x18"±
18"x24", 24"x24", 24"x36"±
(4 Sides saw cut)



COLUMN CAP (4 Sides rock face)

26"x26"x2"±
30"x30"x2"±



STEPS

(3 Sides rock face & 1 long side saw cut)
48"x16"x6"±



SLAB (4 Sides rock face) 72"x36"x2"±




TREADS (3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±





AUTUMN BROWN



Autumn brown sandstone is a simple blend of buff, light and dark browns. This earthy tone accompanied by the ability to blend in with other colors makes it a versatile option for paving and create stunning design patterns.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.


Color Variation : ★★★★★☆

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x2"±
	26"x26"x2"±
	30"x30"x2"±
EASED EDGE (1 Long side eased edge)	14"x24"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"±
	24"x36"x1"±
SLAB (4 Sides rock face)	72"x36"x2"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x2"±
	72"x12"x2"±
	72"x18"x2"±
WALL CAP (2 Long sides rock face & 2 short sides saw cut)	72"x24"x2"±
	14"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/2" under

ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 18"x18"±
18"x24", 24"x24", 24"x36"±
(4 Sides saw cut)



COLUMN CAP (4 Sides rock face)

24"x24"x2"±
26"x26"x2"±
30"x30"x2"±



WALL CAP

(2 Long sides rock face & 2 short sides saw cut)
14"x24"x2"±



EASED EDGE (1 Long side eased edge)

14"x24"x2"±



SLAB (4 Sides rock face)

72"x36"x2"±



TREADS (3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
72"x12"x2"±
72"x18"x2"±
72"x24"x2"±





DUSTY WAVE



Dusty wave is a light cream, beige-colored sandstone invigorating with rippled marking suggestive of desert waves. The light sandstone with darker orange to brown waves can create a refreshing look for any surface.

FINISH : Natural finish. Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

COLOR VARIATION : ★★★★★☆

TYPE	Size in Inches (Approx.)
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/8" under

ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 24"x24"±
(4 Sides saw cut)



TREADS (3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±





BROWN WAVE




TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	26"x26"x2"±
	30"x30"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1 1/4"±
PAVER (4 Sides saw cut)	12"x12"x1 1/4"±
	12"x24"x1 1/4"±
	24"x24"x1 1/4"±
	24"x24"x2"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x2"±
	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/8" under

Brown wave consists of elegant waves of light brown over warm brown with hints of white and mocha. The earthy tone, coupled with bold striations, can blend with any surroundings creating a sublime view.

FINISH : The surface has a thermal finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

COLOR VARIATION : ★★★★★☆





VINTAGE WHITE




Vintage White sandstone features a blend of ivory and cream tones which offers a unique blend of colors throughout, providing a stunning finish to any surroundings. The light tones will brighten up the environment while blending well with darker and bolder colors to create a sense of space.

Finish : Thermal Finish edges are saw-cut or chiseled depending on the product.

Color Variation : ★★☆☆☆

TYPE	Size in Inches (Approx.)
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
EASED EDGE (1 Long side eased edge)	14"x24"x2"±
LEDGE STONE-PANEL	6"x24"x3/4"±
LEDGE STONE-CORNER	6"x18"x6"x3/4"±

LEDGE STONE is non cement backing.
 *PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing 1/8" under





LIMESTONE

Limestone is a sedimentary rock composed primarily of calcium carbonate in the form of the mineral called calcite. It can contain considerable amounts of magnesium carbonate along with clay, iron carbonate, feldspar, pyrite, and quartz in small amounts.

Limestone is known as a heavy, hard-wearing stone with a lightly textured surface which makes it an excellent material for patios. It's a very dense and durable stone and its use in architecture can be traced back to the pyramids of Egypt. There are hundreds of types of limestone available in different colors, textures, and varying degrees of permeability making it aesthetically versatile. Limestones are extremely versatile as you can use them in a vast range of outdoor areas including patios, pathways, courtyards, verandas, poolside and stepping stones. Some types are better suited for flat exterior surfaces than others. Furthermore, it has a naturally non-slip surface making it perfectly safe for areas that might get wet such as around pools, hot tubs, and ponds.



Disclaimer :
Efflorescence is a crystalline deposit of salts created when water is present especially on limestones. Efflorescence diminishes the color and brightness of the surface giving a false notion that the stone has begun to fade when these deposits overshadow their original hue and shade.



ANTIQUÉ BLACK



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 Sides rock face)	26"x26"x2"± 30"x30"x2"±
DRIVEWAY PAVERS (Rock face)	6"x6"x1½"± 6"x9"x1½"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	18"x18"x1"±
	18"x24"x1"±
	24"x24"x1"± 24"x36"x1"±
STEPPING STONE -IRREGULAR	18"-24"x1¾"±
WALL CAP (2 Long side rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing ¼" under

Antique Black consists of a blend of black and charcoal tones. The surface is tumbled to get a smooth, chalky antique look, which will dramatically change the ambiance of your project.

Finish : Tumbled finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.


Color Variation : ★★☆☆☆

***Disclaimer :** Antique black limestone is rich in mineral salts which over time can result in efflorescence which diminishes the color of the natural stone.

ASHLAR PATTERN 1"±

Paver Separate Sizes

12"x12", 12"x24", 18"x18"±, 18"x24", 24"x24", 24"x36"±
(4 Sides saw cut)




DRIVEWAY PAVERS (Rock face)

6"x6"x1½"±, 6"x9"x1½"±



COLUMN CAP (4 Sides rock face)

26"x26"x2"±
30"x30"x2"±



WALL CAP

(2 Long side rock face & 2 short side saw cut)
14"x24"x2"±



BULL NOSE (1 Long side bullnose)

12"x24"x1½"±
14"x24"x2"±



STEPPING STONES (Irregular)

18"-24"x1¾"±





INDIGO BLUESTONE



COLUMN CAP (4 Sides rock face)

26"x26"x2"±
30"x30"x2"±



WALL CAP

(2 Long side rock face & 2 short side saw cut)
14"x24"x2"±



BULLNOSE

(1 Long side bullnose)
12"x24"x1½"±



SLAB (4 Sides rock face)

72"x36"x2"±



Indigo Bluestone comprises medium to darker tones of blues with a hint of similar to that of oceanside. This consistent color can beautifully blend along with the pool area giving it a sophisticated look while providing an anti-slip surface.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆


TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 Sides rock face)	26"x26"x2"± 30"x30"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"± 48"x12"x2"± 48"x14"x2"±
TREADS (3 Sides saw cut & 1 Long side rock face)	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±
WALL CAP (2 Long side rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing ½" under

TREADS

(3 Sides saw cut & 1 long side rock face)

48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



STEPS (4 Sides rock face)

48"x16"x6"±



ASHLAR PATTERN 1"±

Paver separate sizes
12"x12", 12"x24", 24"x24"±
(4 Sides saw cut)



INDIAN BLUESTONE



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1½"±
COLUMN CAP (4 Sides rock face)	24"x24"x2"±
PAVER ASHLAR PATTERN (4 Sides saw cut)	1"±
PAVER (4 Sides saw cut)	12"x12"x1"±
	12"x24"x1"±
	24"x24"x1"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x12"x1½"±
	48"x14"x1½"±
	72"x12"x1½"±
	72"x14"x1½"±
	72"x18"x1½"±
WALL CAP (2 Long sides rock face & 2 short side saw cut)	14"x24"x2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing ½" under

Indian Bluestone comprises darker tones of blues and greys. Similar to other limestones, the surface is relatively smooth and flat with fewer ridges making it suitable for a variety of applications, including interiors and exteriors.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆☆



ASHLAR PATTERN 1"±
Paver Separate Sizes
12"x12", 12"x24", 24"x24"±
(4 Sides saw cut)

COLUMN CAP (4 Sides rock face)
24"x24"x2"±



WALL CAP
(2 Long side rock face & 2 Short side saw cut)
14"x24"x2"±



BULLNOSE
(1 Long side bullnose)
12"x24"x1½"±



TREADS
(3 Sides saw cut & 1 long side rock face)
48"x12"x1½"±
48"x14"x1½"±
72"x12"x1½"±
72"x14"x1½"±
72"x18"x1½"±





LIME BLACK



Lime Black consists of a blend of black and charcoal tones. With fewer ridges and flat smooth surfaces, it is suitable for both interior stone flooring and exterior patios. A relatively consistent dark tone makes it optimal to provide contrast for the color and texture of other stones.

Finish : Natural finish, edges are saw-cut, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆


***Disclaimer : Lime black limestone is rich in mineral salts which over time can result in efflorescence which diminishes the color of the natural stone.**

TYPE	Size in Inches (Approx.)
Slab (4 Sides rock face)	72"x36"x2"±
	84"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
	48"x12"x2"±
TREADS (3 Sides saw cut & 1 long side rock face)	48"x14"x2"±
	72"x12"x2"±
	72"x14"x2"±
	72"x18"x2"±
	72"x24"x2"±

Steps (4 Sides rock face)
48"x16"x6"±



SLAB (4 Sides rock face)
72"x36"x2"±
84"x36"x2"±



TREADS (3 Sides saw cut & 1 long side rock face)

- 48"x12"x2"±
- 48"x14"x2"±
- 72"x12"x2"±
- 72"x14"x2"±
- 72"x18"x2"±
- 72"x24"x2"±





FRENCH VANILLA



French Vanilla limestone comprises mainly pale shades of yellow with hints of grey and green undertones. This limestone brightens up the surrounding with a warm and welcoming environment. Additionally, light-colored stone complements a wide variety of designs & can easily incorporate bold colors into the design.


Finish : Natural finish, edges are saw-cut or chiseled depending on the product.

Color Variation : ★★★★★

TYPE	Size in Inches (Approx.)
PAVER ASHLAR PATTERN (¼ Sides saw cut)	1"±
SLAB (¼ Sides rock face)	60" x 36" x 2"±

*PAVER ASHLAR PATTERN sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x24", 18"x30", 24"x24". Nominal sizing ¼" under

ASHLAR PATTERN 1"±
(¼ Sides saw cut)



SLAB (¼ Sides rock face)
60" x 36" x 2"±






TRAVERTINE

Travertine is a form of limestone formed by the precipitation of carbonate mineral solution in ground and surface waters. Exposure to heat causes the evasion of Carbon dioxide from the alkaline solution leaving behind holes on the surface. This reduces the solubility of carbonate, making it precipitate.

Travertine has been used for centuries to build exquisite architectural marvels that are still standing to this day, the most famous Coliseum also known as the Flavian Amphitheatre in Rome. Its proven durability and lasting beauty have continued to prompt builders and homeowners to choose travertine tiles or pavers in modern building projects. Travertine is so versatile; it can be used in a number of places both inside and outside. While regular maintenance and care are required with travertine floors, these materials have the potential to last a long time. Travertine tiles are a great choice when it comes to floors and walls of kitchens, hallways, and bathrooms. The exterior elements like walkways, sidewalks, patio, swimming pool, and exterior walls, etc. can be built using travertine



ANTIQUE IVORY



ANTIQUE GRIS



ANTIQUE SCABOS




ANTIQUE WALNUT

Disclaimer :
Travertine is a porous stone and the surface will have visible pores. The pores are the inherent nature of the stone which adds a unique look to the stone and should not be considered as defects.



ANTIQUÉ IVORY



Travertine is white when no impurities are present, Antique Ivory has a range of colors from cream to light beige gives a graceful look to your interiors and exteriors. This light color of travertine is widely used for building pool decks & coping as it reflects heat & keeps the surface cool during summer.


Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★☆

***Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .**



ANTIQUÉ WALNUT



The warm and earthy tones ranging from light beige to walnut can bring the towering dominance of earth to a flooring installation without overwhelming a room with dramatic colors. The smooth surface makes it suitable for both interior and exterior usage.

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★☆

***Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .**



BULLNOSE (1 Long side bullnose)

12"x24"x2"±
16"x24"x2"±



TYPE	Size in inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"±
	16"x24"x2"±
Paver (4 sides saw cut)	16"x24"x1 1/4"±
PAVER VERSAILLES PATTERN (4 sides saw cut)	1 1/4"±

*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24". Nominal sizing 1/4" under

PAVERS VERSAILLES PATTERN 1 1/4 ±

Loose also available 16"x24"x1 1/4"±



BULLNOSE (1 Long side bullnose)

12"x24"x2"±
16"x24"x2"±



TYPE	Size in inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"±
	16"x24"x2"±
Paver (4 Sides saw cut)	16"x24"x1 1/4"±
PAVER VERSAILLES PATTERN (4 Sides saw cut)	1 1/4"±


*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24". Nominal sizing 1/4" under

PAVERS VERSAILLES PATTERN 1 1/4 ±

Loose also available 16"x24"x1 1/4"±



ANTIQUÉ GRIS



A beautiful blend of silver, grey, and white adds a captivating factor to the conventional travertine. This neutral colored travertine blends well with other colors and provides a modern edge to both interior and exterior applications.

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★

***Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .**



BULLNOSE (1 Long side bullnose)

12"x24"x2"±
16"x24"x2"±



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"± 16"x24"x2"±
Paver (4 Sides saw cut)	16"x24"x1 1/4"±
PAVER VERSAILLES PATTERN (4 Sides saw cut)	1 1/4"±

*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16", 16"x24". Nominal sizing 3/8" under

PAVERS VERSAILLES PATTERN 1 1/4 ±

Loose also available 16"x24"x1 1/4"±



ANTIQUÉ SCABOS



LEDGE

Panel - 6"x24"x3/4"±
Corner - 6"x18"x6"x3/4"±



Corner



Panel

Antique scabos travertine showcases a wide range of colors from cream, red, brown, and grey, etc. Every piece is unique and flaunts a bold look for your design project.

Finish : Tumbled finish, edges are saw-cut.

Color Variation : ★★★★★

***Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .**

TYPE	Size in Inches (Approx.)
Ledge Stone-Panel	6"x24"x3/4"±
Ledge Stone-Corner	6"x18"x6"x3/4"±

LEDGE STONE is non cement backing.



BULLNOSE

1 Long side bullnose

Bullnose is a term used to define a smooth rounded edge in masonry. It is generally used as a perimeter of various designs and provides a safer environment. Natural stones bullnoses are used for Pool coping, wall caps, stairways, firepits, etc. Available in a wide range of colors and texture, it provides an optimal solution to match or contrast according to your design requirements.




Antique Ivory
12"x24"x2"±, 16"x24"x2"±



Antique Black
12"x24"x1½"±
14"x24"x2"±



California Gold
12"x24"x1½"±



Grey Mist
12"x24"x1½"±



Autumn Mist
12"x24"x1½"±



Rainbow
14"x24"x2"±



Indigo Bluestone
12"x24"x1½"±



Indian Bluestone
12"x24"x1½"±



Antique Walnut
12"x24"x2"±
16"x24"x2"±



Antique Gris
12"x24"x2"±
16"x24"x2"±



EASED EDGE

1 long side eased edge.



Eased edge is a smooth straight edge finish that provides an alternative to the bullnose edge. Similar to the bullnose, it used to provide a safer environment for pool coping, wall caps, stairways, firepits, etc. Eased edge provides a modern look and finish over the traditional bullnose edge.



Grey Mist
14"x24"x2"±



Autumn Brown
14"x24"x2"±



Vintage White
14"x24"x2"±





FLAGSTONE

Flagstones are irregularly shaped stones used for paving patios, walkways & pool areas. Large surface area and irregular shape of the individual pieces allow the designer to create innovative and intriguing designs for any surfaces. The random size of the individual pieces makes it look like pieces of the puzzle put together to create a distinctly transcendent surface.

Basalt
16"-30"x1 1/4"±



COBBLESTONE



Cobblestones are cubical granite stones used to pave roads, driveways, decorate buildings, walls and fireplace hearths. The durability and aesthetic appeal of the stone makes it an optimal choice for load-bearing areas like driveways.



Black Cobbles
3 1/2"x3 1/2"x3 1/2"±
8"x4"x2"±



Grey Cobbles
3 1/2"x3 1/2"x3 1/2"±



Gold Cobbles (Tumbled)
3 1/2"x3 1/2"x3 1/2"±, 8"x4"x2"±





COLUMN CAP

Column caps are used to make a smooth transition for landscape walls serving as finishing touch for pillars, columns, and mailboxes. Usually need to be larger than the dimensions of the column to allow overhang. Available in different sizes and colors, our column caps are an optimal solution for your design environment.

California Gold (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Grey Mist (4 Sides rock face)
24"x24"x2"±



Ebony Black (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Autumn Mist (4 Sides rock face)
24"x24"x2"±
26"x26"x2"±
30"x30"x2"±



Rainbow (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Teakwood (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Autumn Brown (4 Sides rock face)
24"x24"x2"±
26"x26"x2"±
30"x30"x2"±



Brown Wave (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Antique Black (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Indigo Bluestone (4 Sides rock face)
26"x26"x2"±
30"x30"x2"±



Indian Bluestone (4 Sides rock face)
24"x24"x2"±



WALL CAP



Natural stone wall caps provide the perfect finishing touch to a stone retaining wall, fence, column or pier. Additionally, it helps protect the walls from damage and ingress of water. Wall caps are chiseled on all sides which provides a distinct finish for landscape designs.

2 Long sides rock face & 2 short side saw cut

California Gold
14"x24"x2"±



Grey Mist
14"x24"x2"±



Autumn Mist
14"x24"x2"±



Autumn Brown
14"x24"x2"±



Antique Black
14"x24"x2"±



Indigo Bluestone
14"x24"x2"±




Indian Bluestone
14"x24"x2"±





LEDGE - PANEL CORNER

GLUE BACKING 3/4"±




Ledgestone or stack stone are stripes of natural stone arranged uniformly on a mesh to form a veneer. The ledge stone panels are "Z" shaped designed to interlock with one another. It comes with matching "L" shaped 2-piece corner pieces to provide a beautiful finish on the edges. Ideal for retaining walls, facades, and fireplaces to boost the overall appearance of the terrain.



Gold Quartz (Quartzite)



Steel Quartz (Quartzite)



Antique Gold (Quartzite)



California Gold (Slate)




Autumn Mist (Sandstone)



Antique Scabos (Travertine)



Classic Black (Slate)



Smoky Rust (Slate)



Vintage White (Sandstone)




Floral White (Mica Schist)



LEDGE - PANEL CORNER

CEMENT BACKING 1/4 ±



Desert Gold (Quartzite Mix)



Sage Green (Quartzite)




STEPS



Natural Stone Steps are as risers for places with elevation. Suited for front and backyard applications, it sets a strong statement in your landscape. Steps are extremely durable, the size of the stone makes it sturdy and reliable once it is installed.




Autumn Mist
(4 Sides rock face)
48"x16"x6"±



Indigo Bluestone
(4 Sides rock face)
48"x16"x6"±



Rainbow
(3 Sides rock face & 1 Long side saw cut)
48"x16"x6"±



Lime Black (4 Sides rock face)
48"x16"x6"±




Teakwood
(3 Sides rock face & 1 Long side saw cut)
48"x16"x6"±



TREADS

Finish - 3 Side saw cut & 1 Long side rock face



Treads are long rectangular capstones used on stairs, front doorsteps, wall capping, and pool coping. The length of the tread can minimize the number of grout joints for a flawless design structure. Additionally, they can be used as mantels and hearths for fireplaces. Three sides of the treads are saw cut while the fourth side is chiseled for a dramatic overall appearance.



Basalt 48"x12"x2"±
72"x12"x2"±
(3 Sides eased edge & 1 long side rock face)



California Gold 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Grey Mist 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Autumn Mist 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Ebony Black 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Rainbow 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Teakwood 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±



Autumn Brown 48"x12"x2"±
72"x12"x2"±
72"x18"x2"±
72"x24"x2"±



Dusty Wave 48"x12"x2"±
48"x14"x2"±



Brown Wave 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Indigo Bluestone 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



Indian Bluestone 48"x12"x1½"±
48"x14"x1½"±
72"x12"x1½"±
72"x14"x1½"±
72"x18"x1½"±



Lime Black 48"x12"x2"±
48"x14"x2"±
72"x12"x2"±
72"x14"x2"±
72"x18"x2"±
72"x24"x2"±



SLAB

Slabs are generally used for making kitchen countertops and outdoor BBQs where grout joints dwindle the overall appeal of the structure. All four sides are chiseled to exhibit the natural beauty of the stone

California Gold (4 Sides saw cut)
60"x36"x2"±



Grey Mist (4 Sides rock face)
72"x36"x2"±



Autumn Mist (4 Sides rock face)
72"x36"x2"±



Ebony Black (4 Sides rock face)
72"x36"x2"±



Autumn Brown (4 Sides rock face)
72"x36"x2"±



Rainbow (4 Sides rock face)
72"x36"x2"±




Teakwood (4 Sides rock face)
72"x36"x2"±



Basalt (4 Sides saw cut)
72"x27"x2"±



Lime Black (4 Sides rock face)
72"x36"x2"±
84"x36"x2"±



Indigo Bluestone (4 Sides rock face)
72"x36"x2"±






French Vanilla (4 Sides rock face)
60"x36"x2"±



WINDOW SILL



A window sill is the decorative covering around the window's edge that protects where the window attaches to the wall. Window sills help keep water and hold the window in place while elevating the aesthetic appeal of the place.





THIN VENEER



Natural Stone Thin Veneer is a thin layer of stone used as decorative material that is not meant to be load-bearing. Thin veneer can be used in thin sections because of the shorter span between anchoring points. Multipane units like Column covers, reveal window frames, parapet sections, etc are more economically assembled over thin veneer while enhancing the beauty of the structure.

Available sizes :
Flat 1", Corner 1"



Steel Quartz - Ashlar



Steel Quartz - Ledge



Creekside Blend - Ledge



Mocha - Ledge



Autumn Mist - Ledge



Grey Mist Blend - Ledge



Grey Mist Blend - Antique Castle



Grey Mist Blend - Ashlar



Silver Pearl - Dimensional



Silver Pearl - Ledge



Silver Pearl - Antique Castle



Silver Pearl - Fieldstone



Black Pearl - Ledge



Black Pearl - Antique Castle



STEPPING STONES


Stepping stones provide a pathway to navigate through your garden. Natural stones blend well with nature and hence becomes an excellent choice as stepping stones. The ease of installation coupled with creativity will provide an elegant look to any layout.



Grey Mist (Irregular)
18"-24"x1¼"±



Autumn Mist (Irregular)
18"-24"x1¼"±



Antique Black (Irregular)
18"-24"x1¼"±



PEBBLES



Pebbles are smooth rounded stones used for decorative purposes. Commonly used as ground cover, it is used externally to create multi-textured pathways or walkways, garden mulch and decorate drains. Pebbles are flexible enough to be used indoors to decorate aquariums and pot plants.

***Disclaimer : Jet Black Pebbles (Basalt) is rich in iron content, typically iron-rich minerals over time have the potential to discolor because of oxidation.**



Beige (Marble)
1"-2"±



Crystal White (Marble)
1"-2"±



Peacock (Mix)
1"-2"±



Jet Black (Basalt)
1"-2"±





PAVER VERSAILLES PATTERN

The Versailles pattern is a combination of multiple numbers of four different size pavers to form a pattern. A total of 12 pieces covering 16 sq.ft comes with four pieces of each 8"x8" and 16"x16"; two pieces of each 8"x16" and 16"x24" to form a pattern. This interlocking paver pattern enhances the look of any given environment.



Antique Gold, Sizes Available - 1"±
(4 Side saw cut)



Antique Ivory, Sizes Available - 1¼"±
Loose also available 16"x24"x1¼"±
(4 Side saw cut)



Antique Walnut, Sizes Available - 1¼"±
Loose also available 16"x24"x1¼"±
(4 Side saw cut)




Antique Gris, Sizes Available - 1¼"±
Loose also available 16"x24"x1¼"±
(4 Side saw cut)




PAVER ASHLAR PATTERN

Dimensional pavers are cut into Ashlar Pattern different sized squares and rectangles and arranged to form a pattern. The sawn edges give a clean finish to the design, while the color variation of the natural stones gives an unprecedented look to any terrain. The pattern comes in square and rectangular sizes to form an interlocking pattern in horizontal and vertical form. Individual sizes include 12"x12", 12"x18", 12"x24", 12"x30", 18"x18", 18"x30", 18"x24" and 24"x24".



Basalt 1"± (4 Sides saw cut)
Paver separate sizes
12"x12", 12"x24", 24"x24"±



California Gold 1"± (4 Sides saw cut)
Paver separate sizes
12"x12", 12"x24", 24"x24"±



Grey Mist 1"± (4 Sides saw cut)
Paver separate sizes
12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



PAVER ASHLAR PATTERN



PAVER ASHLAR PATTERN



Autumn Mist 1"± (4 Sides saw cut)

Paver separate sizes

12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



Ebony Black 1"± (4 Sides saw cut)

Paver separate sizes

12"x12", 12"x24", 24"x24"±



Autumn Brown 1"± (4 Sides saw cut)

Paver separate sizes


12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



Dusty Wave 1"± (4 Sides saw cut)

Paver separate sizes


12"x12", 12"x24", 24"x24"±



Rainbow 1"± (4 Sides saw cut)

Paver separate sizes

12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



Teakwood 1"± (4 Sides saw cut)

Paver separate sizes


12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±



Brown Wave 1 1/4"± (4 Sides saw cut)

Paver separate sizes

12"x12", 12"x24", 24"x24"±




Antique Black 1"± (4 Sides saw cut)

Paver separate sizes


12"x12", 12"x24", 18"x18", 18"x24", 24"x24", 24"x36"±




PAVER ASHLAR PATTERN




Indigo Bluestone 1"± (4 Sides saw cut)
Paver separate sizes
12"x12", 12"x24", 24"x24"±



Indian Bluestone 1"± (4 Sides saw cut)
Paver separate sizes
12"x12", 12"x24", 24"x24"±



French Vanilla 1"±
(4 Sides saw cut)



Vintage White 1"±
(4 Sides saw cut)

DRIVEWAY PAVERS






Driveways are an important part of an entrance that adds to the attractiveness of curb. Natural stone driveway pavers can give an exquisite appearance to your driveway while providing the durability to withstand vehicular use. Natural stone driveway pavers offer excellent longevity, fast installation, better safety, and damaged pavers can easily be replaced. Our driveways pavers are ideal for both residential and commercial projects.



Antique Black (Rock face)
6"x6"x1½"±, 6"x9"x1½"±



DISPLAY RACKS



ETHICS & SUSTAINABILITY POLICY STATEMENT

Imported natural stone are not only beautiful, it is a cost-effective choice for your dream project. When choosing an imported natural stone, it is important to choose a company that adheres to the Ethical Trading Initiative (ETI). Stone Universe cares deeply about this initiative and the ethical sourcing of all the material. Stone Universe Inc. has developed strict policies and guidelines to ensure that all our stone products are harvested and fabricated in environmentally sustainable ways, and that our stone is ethically produced.

We expect everyone we do business with – from our suppliers to retailers – to be responsible and proud of the safe working conditions provided by the Global Trade Initiative and Human Rights Standard.



PACKING CHART



STONE UNIVERSE INC. MARYLAND PACKING CHART						
DESCRIPTION	COLOR ABBREVIATION	PCS. BOX	BOXES/ PALLET Approx.	SQFT/PALLET Approx.	PCS/PALLET Approx.	WEIGHT/PALLET Approx. lbs
Bullnose 12"x24"x1 1/2"	ABL, AM, CG, GM, IB, INB, PG	LOOSE	LOOSE	150	75	3000
Bullnose 12"x24"x2"	AGS, AV, AWA	LOOSE	LOOSE	80	40	2300
Bullnose 14"x24"x2"	ABL, RB	LOOSE	LOOSE	103	44	3000
Bullnose 16"x24"x2"	AGS, AV, AWA	LOOSE	LOOSE	107	49	3000
Cobblestone 3 1/2"x10"x3 1/2"	BL, GR, GO	LOOSE	LOOSE	-	530	2500
Cobblestone 8"x4"x2"	BL, GO	LOOSE	LOOSE	-	270	2500
Column Cap 24"x24"x2"	AM, AUB, GM, IB	LOOSE	LOOSE	80	20	2200
Column Cap 26"x26"x2"	ABL, AM, AUB, BW, CG, EBL, INB, PG, RB, TW	LOOSE	LOOSE	85	18	2400
Column Cap 30"x30"x2"	ABL, AM, AUB, BW, CG, EBL, INB, PG, RB, TW	LOOSE	LOOSE	113	18	3000
Driveway Pavers 6"x6"x1 1/2"	ABL	LOOSE	LOOSE	150	600	3000
Driveway Pavers 6"x6"x1 1/2"	ABL	LOOSE	LOOSE	150	400	3000
EASED EDGE 14"x24"x2"	AUB, GM, PG, VW	LOOSE	LOOSE	103	44	3000
Flagstone 1.5"	ABL, AGO, AM, PG	LOOSE	LOOSE	Coverage ~200sqft/pallet	-	~3500-4500 2 tons/pallet
Flagstone 16"-30"x1 1/2"	BLT	LOOSE	LOOSE	-	-	2400
Ledge Stone Panel 6"x24"x1 1/2"	ASC	6	30	180	180	2200
Ledge Stone Corner 6"x18"x6"x1 1/2"	ASC	6	24	144	144	1800
Ledge Stone Panel 6"x24"x1 1/2"	AM, AGO, CG, CLB, FW, GQU, SQ, SR, VW	5	36	180	180	2200
Ledge Stone Corner 6"x18"x6"x1 1/2"	AM, AGO, CG, CLB, FW, GQU, SQ, SR, VW	6	24	144	144	1800
Ledge Stone Panel 6"x24"x1 1/2"	OG, SG	4	30	120	120	1900
Ledge Stone Corner 6"x18"x6"x1 1/2"	OG, SG	2	50	300	100	1600
Paver 12"x12"x1 1/2"	ABL, AM, AUB, BLT, CG, DW, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	216	216	2800
Paver 12"x12"x1 1/2"	BW	LOOSE	LOOSE	216	216	3700
Paver 12"x24"x1 1/2"	ABL, AM, AUB, BLT, CG, DW, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	216	108	2800
Paver 12"x24"x1 1/2"	BW	LOOSE	LOOSE	216	108	3700
Paver 16"x24"x1 1/2"	AGS, AV, AWA	LOOSE	LOOSE	160	60	3000
Paver 18"x18"x1 1/2"	ABL, AM, GM, AUB, PG, RB, TW	LOOSE	LOOSE	180	80	2500
Paver 18"x24"x1 1/2"	ABL, AM, GM, AUB, PG, RB, TW	LOOSE	LOOSE	240	80	3300
Paver 24"x24"x1 1/2"	ABL, AM, AUB, BLT, CG, DW, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	144	36	2200
Paver 24"x24"x1 1/2"	BW	LOOSE	LOOSE	144	36	2500
Paver 24"x36"x1 1/2"	ABL, AM, AUB, GM, PG, RB, TW	LOOSE	LOOSE	216	36	2800
Paver Ashlar Pattern 1"	ABL, AM, AUB, BLT, CG, DW, EBL, FW, GM, INB, IB, PG, RB, TW, VW	LOOSE	LOOSE	200	82	3000
Paver Ashlar Pattern 1 1/2"	BW	LOOSE	LOOSE	200	82	3500
Paver Versailles Pattern 1"	AGO	LOOSE	LOOSE	192	144	2700
Paver Versailles Pattern 1 1/2"	AGS, AV, AWA	LOOSE	LOOSE	160	120	3000
Pebbles 1"-2"	BO, CW, JBL, FK	-	-	-	40 BAGS	1700 (40lbs/bag)
Porcelain Paver 12"x24"x 1/2"	ABL, AM, AZW, CG, GQU, MC, PG, SGR	3	LOOSE	288	144	2700
Porcelain Paver 24"x24"x 1/2"	ABL, AW, AM, AZW, CG, CYW, GQU, MC, PG, SGR	2	LOOSE	240	60	2200
Rock Face Ashlar Pattern 1 1/2"	PG	LOOSE	LOOSE	200	82	2500
Slab 60"x36"x2"	FW, CG	LOOSE	LOOSE	120	8	3300
Slab 72"x27"x2"	BLT	LOOSE	LOOSE	108	8	3000
Slab 72"x36"x2"	AM, AUB, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	144	8	4000
Slab 84"x36"x2"	LB	LOOSE	LOOSE	126	6	3400
Stepping Stone IRREGULAR - 1 1/2"	ABL, AM, GM, PG	LOOSE	LOOSE	-	60	2800
Steps 48"x16"x6"	AM, DW, INB, LB, PG, RB, TW	LOOSE	LOOSE	32	6	2600
Thin Veneer- Flat 1"	AM, BF, CB, GMB, MO, SP, SQ	LOOSE	LOOSE	200	-	2700
Thin Veneer- Corner 1"	AM, BF, CB, GMB, MO, SP, SQ	LOOSE	LOOSE	80 lft	-	1000

Treads 48"x12"x1 1/2"	IB	LOOSE	LOOSE	72	18	1500
Treads 48"x12"x2"	AM, AUB, BW, BLT, CG, DW, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	72	18	2000
Treads 48"x14"x1 1/2"	IB	LOOSE	LOOSE	70	15	1600
Treads 48"x14"x2"	AM, BW, CG, DW, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	70	15	1800
Treads 72"x12"x1 1/2"	IB	LOOSE	LOOSE	90	15	2200
Treads 72"x12"x2"	AM, AUB, BW, BLT, CG, DW, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	90	15	2500
Treads 72"x14"x1 1/2"	IB	LOOSE	LOOSE	105	15	2200
Treads 72"x14"x2"	AM, BW, CG, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	105	15	2900
Treads 72"x18"x1 1/2"	IB	LOOSE	LOOSE	135	15	2800
Treads 72"x18"x2"	AM, AUB, BW, CG, EBL, GM, INB, IB, PG, RB, TW	LOOSE	LOOSE	135	15	3700
Treads 72"x24"x2"	AM, AUB, BW, CG, EBL, GM, INB, IB, PG, RB	LOOSE	LOOSE	120	10	3300
Wall Cap 14"x24"x2"	ABL, AM, AUS, CG, GM, INB, IB, PG	LOOSE	LOOSE	103	44	3000
Window Sill 24"x3"x 2"	AM, GM, PG, SP	LOOSE	LOOSE	50	100	1450

