



"Customers are the most important visitors on our premises. They are not dependent on us, we are dependent on them. They are not an interruption in our work, they are the purpose of it. They are not an outsider in our business, they are the part of it. We are not doing them the favor by serving them, they are doing us a favor by giving us the opportunity to do so."



STONE UNIVERSE INC. NATURAL STONE

Product Catalog Volume -20






ABOUT STONE UNIVERSE

Stone Universe Inc. is one of the biggest natural stone wholesalers in the United States. Our journey began in 1999 as a wholesale distributor of natural stones in Gilroy, California. Shortly, began the expansion of natural stone products with a focus on hardscaping. Over the years, we added a number of products like flagstones, pool coping, wall caps, column caps, driveway pavers, etc. in a wide variety of colors and finishes to meet the standards of the industry.

All the products until this point were imported from India. In 2010, we took a step further by introducing products from China. The increasing demand for products and the growth of the company stipulated the need for a bigger facility. In 2012, Stone Universe moved to a bigger location in San Lorenzo, California and this year also marked the introduction of travertine products from Turkey. While the product lines increased steadily, to facilitate the distribution of products throughout the country, Stone Universe established distribution centers in different parts of the country. Apart from corporate location, four other distribution centers were established in a span of three years with a steady growth

We offer a wide range of products - pool coping, column caps, wall caps, pavers patterns in different sizes and finish, treads, driveway pavers, cobblestone, flagstone, ledge stones, slabs, etc. which is ideal for both indoor and outdoor applications for projects of various sizes. Every year we introduce new products.



DISCLAIMER	05
Why Natural Stones?	06 - 07

BASALT	08 - 11
SLATE	12 - 16

California Gold	13
-----------------	----

SLATE QUARTZITE MIX	17
----------------------------	-----------

Silver Pearl	17
--------------	----

SANDSTONE	18 - 37
------------------	----------------

Grey Mist	20
-----------	----

Grey Mist Blend	23
-----------------	----

Autumn Mist	24
-------------	----

Antique Brown	28
---------------	----

Antique Buff	31
--------------	----

Ebony Black	32
-------------	----

Brown Mist	34
------------	----

Vintage White	37
---------------	----

LIMESTONE	38 - 51
------------------	----------------

Antique Black	40
---------------	----

Indian Bluestone	43
------------------	----

Antique Yellow	46
----------------	----

French Vanilla	48
----------------	----

Lime Black	50
------------	----

TRAVERTINE	52 - 57
-------------------	----------------

Antique Ivory	54
---------------	----

Antique Walnut	55
----------------	----

Antique Gris	56
--------------	----

Antique Scabos	57
----------------	----

STONE TYPES	58 - 85
--------------------	----------------

Bullnose	58
----------	----

Eased Edge	59
------------	----

Flagstone	60
-----------	----

Cobblestone	64
-------------	----

Driveway Pavers	65
-----------------	----

Column Cap	66
------------	----

Wall Cap	67
----------	----

Slab	68
------	----

Steps	69
-------	----

Thin Veneer	70
-------------	----

Treads	72
--------	----

Tile	74
------	----

Window Sill	75
-------------	----

Ledge Stone - Panel/Corner	76
----------------------------	----

Stepping Stone	79
----------------	----

Pebbles	80
---------	----

Paver Versailles Pattern	81
--------------------------	----

Paver Jumbo Pattern	83
---------------------	----

Rock Face Jumbo Pattern	84
-------------------------	----

Paver Random Pattern	85
----------------------	----

Rock Face Random Pattern	85
--------------------------	----

DISPLAY RACKS	86 - 87
----------------------	----------------

PACKING CHART	88 - 89
----------------------	----------------



Committed to **YOU ALWAYS**

Serving the greater part of **The United States and Canada**



East



Midwest



Northwest



South



West



West Colorado



West, East And South -
Porcelain Paver

LOCATIONS

Stone Universe (Corporate)
2333 Grant Avenue,
San Lorenzo, CA 94580

Stone Universe (South)
2800 N Alexander Dr,
Baytown, TX 77520

Stone Universe (East)
7521 Lake Drive,
Rosedale, MD 21237

Stone Universe (Northwest)
5808 S 196th St,
Kent, WA 98032

Stone Universe (Southwest)
9052 Rosecrans Ave,
Bellflower, CA 90706

DISCLAIMER



Variations in color,
texture, veining, clefting, etc.
is an aspect of natural stones &
should not be considered as flaws.

Natural Stones are composed of minerals
which makes it susceptible to various chemicals &
harsh environments. Exposure to elements like sun, rain,
snow, etc. over a period of time can affect the look of natural
stones. Some of the most common effects include oxidation (or
rusting), flaking, weathering, etc. We strongly discourage the use of acidic
cleaners and suggest seeking professional help if necessary. It is recommended to
seal natural stones periodically to reduce environmental effects.

All our products have dimensional tolerances which are an industry
standard. Further, we recommend using the standard installation
process and sealers recommended by the American National
Standards Institute(ANSI) for natural stones as the
processes vary from installer to installer. It is
extremely significant to inspect the material
before fabrication or installation as we do
not take any liability once the
product is altered or installed.

**NATURAL STONE
DISCLAIMER**



Why Natural Stones?

ENDURANCE

Natural stones are one of the oldest building materials in existence. The use of natural stones can be traced back to the great pyramids of Egypt, the streets of ancient Rome, architectural buildings like the Colosseum, etc. With regular maintenance and care, natural stones have the potential to last literally for decades.

UNIQUENESS

Natural stone encompasses a wide variety of materials like Limestone, Sandstone, Slate, etc. each with its own unique properties, color and texture. The presence of impurities gives inimitable color variation in every piece of stone with a rich textured appearance. Every piece of stone is unique yet maintains a comprehensive overall appearance.

AGING

One advantage of using natural stone is the character of the natural stone changes with age as the stone wears, fades and matures. The weathering effect that occurs with years of use is often considered attractive. Weathering can also be prevented by periodic application of stone sealers on a regular basis.

ECO-FRIENDLY

Natural Stone is an organic product quarried from the earth and is available in abundance. Natural stone does not contain any harmful chemicals and ensures a safer environment. Further, natural stones can be salvaged, reused, and recycled.

EASE OF MAINTENANCE

With the use of recommended cleaners and sealing the stone on a regular basis, makes it relatively easy to clean. With little care and precautions, the natural beauty of the stone can be preserved.

The above-mentioned advantages of natural stone make it a popular choice of material for construction and architectural purposes.





BASALT

Basalt is an igneous, volcanic rock that is produced by hardened lava. Basalt is mafic, which means it contains minerals with significant iron and magnesium. Other minerals making up basalt include pyroxene, plagioclase feldspar, amphibole, and olivine.

Basalt historically was used in street pavers & stadium seating in ancient Rome. Today, basalt finds its use in several industrial applications, including building materials and thermal insulators. They are used as aggregates to increase the strength of concrete, asphalt paving and rock filtering, agents. Additionally, they are used as wall panels, countertops, and fireplaces among others due to high abrasion resistance & compressive strength. They are also great as interior decoration & decorative stone. The insulating property is one notable characteristic basalt, its insulation value is three times more than asbestos without any toxic hazards. High tensile strength, vibration resistance, and durability make it an ideal choice for hardscaping.





BASALT



Basalt has a color range from charcoal grey to black. Basalt is a metamorphic stone, very dense, and durable which makes good paving material. A flamed top, unique lightly textured surface offers a slip-resistant surface that complements a wide variety of applications.

FINISH : Thermal finish, edges are saw-cut, chiseled or a mixture of both depending on the product.

COLOR VARIATION : ★★☆☆☆

TYPE	Size in Inches (Approx.)
FLAGSTONE (Sandbase)	16"-30"x1¼"±
PAVER JUMBO PATTERN (4 Sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
SLAB (4 Sides saw cut)	72"x27"x2"±
STEPS (3 Sides rock face & 1 long side saw cut)	48"x16"x6"±
TREADS (3 Sides eased edge & 1 long side rock face)	48"x12"x2"±
	60"x16"x2"±
WALL CAP (4 Sides rock face)	14"x24"x2"±



PAVER JUMBO PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼", 24"x36"x1¼"+
(4 Sides saw cut)



FLAGSTONE (Sandbase)

16"-30"x1¼"±




STEPS

(3 Sides rock face & 1 long side saw cut)
48"x16"x6"±



SLAB (4 Sides saw cut) 72"x27"x2"±



WALL CAP (4 Sides rock face)

14"x24"x2"±



TREADS (3 Sides eased edge & 1 long side rock face)

Available Sizes

48"x12"x2"±

60"x16"x2"±





SLATE

Slate is a fine-grained, foliated, homogeneous metamorphic rock obtained from a sedimentary rock of type shale (composed of clay or volcanic ash) under relatively low pressure and temperature conditions. Foliation refers to repetitive layering in metamorphic rocks. Slate is characterized by fine foliation along which it breaks to leave smooth, flat surfaces. The color of a slate is determined by its mineral composition. Slates usually range from shades of light to dark grey in color.

Slate is widely used for external flooring, internal flooring, and cladding. Slate floors are commonly laid in outdoor porches, basements, bathrooms, and kitchens. Internal slate floors are durable, versatile and elegant. The natural variation of slate allows homeowners and interior decorators to create unique, one-of-a-kind environments. Slate floors are durable, nonporous, and require little maintenance. Due to foliation, when the slate is chiseled, it creates a distinctive elegant look compared to other natural and artificial stones which makes it a popular choice for wall caps and column caps.

Slate Disclaimer :

Water can seep in between layers of slate. In weather conditions where water is subjected to freeze/thaw, due to thermal expansion, the compressed layers begin to split and deteriorate. Not all slates are Freeze/Thaw resistant, so it's highly recommended to seal your product.

CALIFORNIA GOLD



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x1½"±
	14"x24"x2"±
	24"x24"x2"±
COLUMN CAP (4 Sides rock face)	29"x29"x2"±
	1"±
FLAGSTONE (Concrete Base)	2"±
LEDGE STONE-PANEL*	6"x24"x¾"±
LEDGE STONE-CORNER*	6"x18"x6"x¾"±
	8"x8"x1¼"±
PAVER (4 Sides saw cut)	8"x16"x1¼"±
	16"x16"x1¼"±
	16"x24"x1¼"±
	12"x12"x1¼"±
PAVER RANDOM PATTERN (4 Sides saw cut)	12"x24"x1¼"±
	24"x24"x1¼"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1¼"±
	½"±
SLAB (4 Sides saw cut)	60"x36"x2"±
	12"x12"x½"±
TILE (4 Sides saw cut)	16"x16"x½"±
	12"x24"x½"±
	24"x24"x½"±
	60"x16"x2"±
TREADS (3 Sides rock face & 1 long side saw cut)	12"x24"x1½"±
WALL CAP (4 Sides rock face)	24"x3"x2"±
WINDOW SILL (1 Long side Rock Face)	
*LEDGE STONE is non cement backing.	
*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"	

California gold is a tumbled slate that depicts a dynamic range of colors from gold, rust, browns, greys, etc. which creates mesmerizing and stunning interior and exterior surfaces. The robust coloring makes room for inexhaustible design ideas.

FINISH: Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation: ★★★★★

Disclaimer : Not recommended for Frost area.






CALIFORNIA GOLD




COLUMN CAP (4 Sides rock face)

24"x24"x2"±
29"x29"x2"±



BULLNOSE (1 Long side bullnose)

12"x24"x1½"±
14"x24"x2"±



WALL CAP

(4 Sides rock face)
12"x24"x1½"±



SLAB (4 Sides saw cut)

60"x36"x2"±



LEDGE

Panel - 6"x24"x¾"±
Corner - 6"x18"x6"x¾"±




Corner



Panel

PAVER VERSAILLES PATTERN 1¼" & ½"±

Also available in loose sizes
8"x8"x1¼", 8"x16"x1¼", 16"x16"x1¼", 16"x24"x1¼"±
(4 Sides saw cut)



PAVER RANDOM PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼"±
(4 Sides saw cut)





CALIFORNIA GOLD

TILE (4 Sides saw cut)

12"x12"x1/2"±
16"x16"x1/2"±
12"x24"x1/2"±
24"x24"x1/2"±




FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



TREADS (3 Sides rock face & 1 long side saw cut)

60"x16"x2"±



WINDOW SILL

(1 Long side rock face)
24"x3"x2"±



SILVER PEARL

SLATE QUARTZITE MIX



THIN VENEER

(Antique Castle) 1"±



THIN VENEER

(Dimensional) 1"±



THIN VENEER

(ledge) 1"±



THIN VENEER

(Fieldstone) 1"±



Silver Pearl comprises dark variants of black to grey. This vibrant slate quartzite stone blends well with other colors to provide lavishing appeal outdoors.

Finish : Natural Finish, edges are chiseled or a mixture depending on the product.

COLOR VARIATION : ★★☆☆☆

TYPE	Size in Inches (Approx.)
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
THIN VENEER - Ledge (Flat & Corner)	1"±
THIN VENEER - Antique Castle (Flat & Corner)	1"±
THIN VENEER - Fieldstone (Flat & Corner)	1"±
THIN VENEER - Dimensional (Flat & Corner)	1"±
WINDOW SILL (1 Long side rock face)	24"x3"x2"±

WINDOW SILL

(1 Long side rock face)
24"x3"x2"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)





SANDSTONE

Sandstone is one of the most common types of sedimentary rock and is made up of three components - sediment particles, matrix, and cement. The sediment particles are pieces of minerals and fragments of rock. Matrix is a fine material that is present between the sediment and cement is the secondary mineral that binds the sediment to rock.

Sandstone displays a lot of character, depending on the mix of matrix and cement, it portrays a wide range of colors from white to black, with gray, brown, red, pink and buff in between. It is durable and versatile, which makes it an ideal choice for indoors and outdoors. Sandstones are used in indoor settings such as flooring, kitchen countertops & backsplashes. Because of its natural ability to regulate heat, sandstone makes for excellent paving, especially for pool sides. It's naturally non-slip, stays cool under foot in the summer and radiates heat in the winter. It can be used to build outdoor ovens, fireplaces, patios or porches, retaining walls and walkways.

Disclaimer :

The hardness of sandstone varies depending on the binding material (cement). If the sediment particles are cemented by calcite, the sandstone will seem softer.




GREY MIST



AUTUMN MIST



ANTIQUÉ BROWN




EBONY BLACK




ANTIQUÉ BUFF



BROWN MIST



VINTAGE WHITE



GREY MIST BLEND



AUTUMN MIST



GREY MIST



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	14"x24"x2"± 24"x24"x1½"±
COLUMN CAP (4 Sides rock face)	24"x24"x2"± 29"x29"x2"±
EASED EDGE (1 Long side eased edge)	14"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER JUMBO PATTERN (4 Sides saw cut)	12"x12"x1½"± 12"x24"x1½"± 24"x24"x1½"± 24"x36"x1½"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1½"± 12"x24"x1½"± 24"x24"x1½"± 24"x36"x1½"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
TREADS (3 Sides rock face & 1 long side saw cut)	48"x12"x2"± 60"x16"x2"± 72"x18"x2"±
WALL CAP (4 Sides rock face)	12"x24"x1½"± 14"x24"x2"±
WINDOW SILL (1 Long side rock face)	24"x3"x2"±

Grey mist features a pallet of mellow to dark greys combined with occasional splashes of rust. Rust spots are general characteristics of the stone. Fairly consistent grey sandstone can blend into a wide range of color schemes creating contemporary and modern designs.

FINISH : Natural finish, edges are saw-cut, bullnose, eased-edge chiseled edges or a mixture depending on the product.

COLOR VARIATION : ★★☆☆☆

***Disclaimer :** Grey mist sandstone is rich in iron content, which over time has the potential to discolor because of oxidation (or rusting).

PAVER JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides saw cut)




ROCK FACE JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides rock face)



SLAB

(4 Sides rock face) 72"x36"x2"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



WINDOW SILL

(1 Long side rock face)
24"x3"x2"±





GREY MIST

BULLNOSE (1 Long side bullnose)

14"x24"x2"±



EASED EDGE

(1 Long side eased edge)

14"x24"x2"±



STEPS

(4 Sides rock face)

48"x16"x6"±



COLUMN CAP (4 Sides rock face)

24"x24"x1 1/4"±

24"x24"x2"±

29"x29"x2"±



WALL CAP

(4 Sides rock face)

12"x24"x1 1/4"±

14"x24"x2"±



TREADS

(3 Sides rock face & 1 long side saw cut)

48"x12"x2"±

60"x16"x2"±

72"x18"x2"±



GREY MIST BLEND



THIN VENEER

(Ledge) 1"±



THIN VENEER

(Antique Castle) 1"±



Grey mist blend depicts medium to dark shades of grey. The alluring color combination of sandstone is an optimal choice for creating various landscaping design scheme.


Finish : Natural Finish.

COLOR VARIATION : ★★☆☆☆

TYPE	Size in Inches (Approx.)
THIN VENEER - Ledge (Flat & Corner)	1"±
THIN VENEER - Ashlar (Flat & Corner)	1"±
THIN VENEER - Antique Castle (Flat & Corner)	1"±

THIN VENEER

(Ashlar) 1"±





AUTUMN MIST



TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1½"±
	24"x24"x2"±
	29"x29"x2"±
FLAGSTONE (Concrete base)	1"±
FLAGSTONE (Sand base)	2"±
LEDGE STONE-PANEL*	6"x24"x¾"±
LEDGE STONE-CORNER*	6"x18"x6"x¾"±
PAVER JUMBO PATTERN (4 Sides saw cut)	12"x12"x1½"±
	12"x24"x1½"±
	24"x24"x1½"±
	24"x36"x1½"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1½"±
	12"x24"x1½"±
	24"x24"x1½"±
	24"x36"x1½"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
THIN VENEER- Ledge (Flat & Corner)	1"±
TREADS (3 Sides rock face & 1 side saw cut)	60"x16"x2"±
WALL CAP (4 Sides rock face)	12"x24"x1½"±
	14"x24"x2"±
WINDOW SILL (1 Long side rock face)	24"x3"x2"±
*LEDGE STONE is non cement backing.	

A beige-brown colored sandstone characterized by beautiful, unique fern-like fossil patterns, brown swirls throughout the surface. Every piece is unique and distinct, and the patterns add character and enhance the looks of any surface.

FINISH : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

COLOR VARIATION : ★★★★★

***Disclaimer :** Autumn Mist is not recommended for Installation around or near pools, spas and hot tubs.

PAVER JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides saw cut)



ROCK FACE JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides rock face)



Corner



Panel

LEDGE

Panel - 6"x24"x¾"±
Corner - 6"x18"x6"x¾"±



COLUMN CAP (4 Sides rock face)

24"x24"x1½"±

24"x24"x2"±

29"x29"x2"±



WALL CAP

(4 Sides rock face)

12"x24"x1½"±

14"x24"x2"±



THIN VENEER

(Ledge) 1"±



TREADS (3 Sides rock face & 1 side saw cut)

60"x16"x2"±



STEPS (4 Sides rock face)

48"x16"x6"±



FLAGSTONE

1"± (Concrete Base)

2"± (Sand Base)



SLAB (4 Sides rock face) 72"x36"x2"±



WINDOW SILL

(1 Long side rock face)

24"x3"x2"±





ANTIQUE BROWN



Antique brown sandstone is a simple blend of buff, light and dark browns. This earthy tone accompanied by the ability to blend in with other colors makes it a versatile option for paving and create stunning design patterns.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	14"x24"x2"±
COLUMN CAP (4 Sides rock face)	24"x24"x1½"±
DRIVEWAY PAVERS (Rock face)	6"x6"x1½"±
	6"x9"x1½"±
EASED EDGE (1 long side eased edge)	14"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER (4 Sides saw cut)	16"x24"x1¼"±
PAVER VERSAILLES PATTERN * (4 Sides saw cut)	1¼"±
ROCK FACE RANDOM PATTERN (4 Sides rock face)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
STEPPING STONE (Heart)	15"x18"x1½"±
STEPPING STONE (Round)	18"x18"x1½"±
STEPPING STONE (Irregular)	18"-24"x1¼"±
WALL CAP (4 Sides rock face)	12"x24"x1¼"±
	16"x24"x2"±

*PAVER VERSAILLES PATTERN sizes include 8"x8", 8"x16", 16"x16" 16"x24".

PAVER VERSAILLES PATTERN 1¼"±

Also available in loose size

16"x24"x1¼"±

(4 Sides saw cut)



ROCK FACE RANDOM PATTERN


12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼"±

(4 Sides rock face)



DRIVEWAY PAVERS (Rock face)

6"x6"x1½"±, 6"x9"x1½"±



BULLNOSE (1 Long side bullnose)

14"x24"x2"±



EASED EDGE

(1 Long side eased edge)

14"x24"x2"±





ANTIQUE BROWN

COLUMN CAP (4 Sides rock face)

24"x24"x1½"±



WALL CAP

(4 Sides rock face)

12"x24"x1½"±

16"x24"x2"±



FLAGSTONE

1"± (Concrete Base)

2"± (Sand base)



STEPPING STONE (Irregular)

18"-24"x1½"±



STEPPING STONE (Heart)

15"x18"x1½"±




STEPPING STONE (Round)

18"x18"x1½"±



ANTIQUE BUFF



Antique Buff comprises a shade of pale brown with slight veins on the sandstone surface. The surface is tumbled provide high projection to the entire surroundings.

Finish : Tumbled Finish. Edges are chiseled.

COLOR VARIATION : ★★☆☆☆

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1½" ±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1½" ±
	12"x24"x1½" ±
	24"x24"x1½" ±
	24"x36"x1½" ±
WALL CAP (4 Sides rock face)	12"x24"x1½" ±
	16"x24"x2" ±

"Sealed"

ROCK FACE JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides rock face)



COLUMN CAP (4 Sides rock face)

24"x24"x1½"±



WALL CAP (4 Sides rock face)


12"x24"x1½"±

16"x24"x2"±





EBONY BLACK



Ebony Black sandstone displays medium to dark shades of gray and beige and can be used to create intriguing designs. The visual appeal of the marbled pattern adds a special character to any interior and exterior design.

Finish : Natural finish, Edges are saw-cut, chiseled edges or a mixture depending on the product.

Color Variation : ★★★★★☆

TYPE	Size in Inches (Approx.)
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER JUMBO PATTERN (4 Sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
TREADS 3 Sides rock face & 1 long side saw cut	48"x12"x2"±
	60"x16"x2"±
WALL CAP (4 Sides rock face)	14"x24"x2"±

PAVER JUMBO PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼", 24"x36"x1¼"±
(4 Sides saw cut)



WALL CAP

(4 Sides rock face)
14"x24"x2"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand base)




TREADS (3 Sides rock face & 1 long side saw cut)

48"x12"x2"±
60"x16"x2"±





BROWN MIST



This beige sandstone displays a multi verse of dark brown and golden yellow rippled markings and veins throughout the surface. Every piece of stone has its own unique random pattern reminiscent of the surface of the wood. Its smooth, sawn wood-like finish gives a crisp and clean feel making it suitable for both internal and external purposes.

Finish : Sawn finish, Edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1¼"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
ROCK FACE RANDOM PATTERN (4 Sides rock face)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
TREADS (3 Sides rock face & 1 long side saw cut)	60"x16"x2"±
WALL CAP (4 Sides rock face)	12"x24"x1¼"±
	14"x24"x2"±
WINDOW SILL (1 Long side rock face)	24"x3"x2"±

ROCK FACE RANDOM PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼"±
(4 Sides rock face)



COLUMN CAP

(4 Sides rock face)
24"x24"x1¼"±



WALL CAP (4 Sides rock face)

12"x24"x1¼"±
14"x24"x2"±



TREADS

(3 Sides rock face & 1 long side saw cut)
60"x16"x2"±





BROWN MIST

FLAGSTONE

1"± (Concrete Base)
2"± (Sand base)



STEPS (4 Sides rock face)

48"x16"x6"±



SLAB (4 Sides rock face)

72"x36"x2"±



WINDOW SILL (1 Long side rock face)

24"x3"x2"±



VINATGE WHITE



Vintage White sandstone features a blend of ivory and cream tones which offers a unique blend of colors throughout, providing a stunning finish to any surroundings. The light tones will brighten up the environment while blending well with darker and bolder colors to create a sense of space.


Finish : Thermal Finish edges are saw-cut or chiseled depending on the product.

Color Variation : ★★☆☆☆

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1 1/4"±
	24"x24"x2"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1 1/4"±
	12"x24"x1 1/4"±
	24"x24"x1 1/4"±
	24"x36"x1 1/4"±
WALL CAP (4 Sides rock face)	12"x24"x1 1/4"±
	14"x24"x2"±

ROCK FACE JUMBO PATTERN

12"x12"x1 1/4", 12"x24"x1 1/4", 24"x24"x1 1/4", 24"x36"x1 1/4"±
(4 Sides rock face)



COLUMN CAP (4 Sides rock face)

24"x24"x1 1/4"±
24"x24"x2"±



WALL CAP (4 Sides rock face)

12"x24"x1 1/4"±
14"x24"x2"±





LIMESTONE

Limestone is a sedimentary rock composed primarily of calcium carbonate in the form of the mineral called calcite. It can contain considerable amounts of magnesium carbonate along with clay, iron carbonate, feldspar, pyrite, and quartz in small amounts.

Limestone is known as a heavy, hard-wearing stone with a lightly textured surface which makes it an excellent material for patios. It's a very dense and durable stone and its use in architecture can be traced back to the pyramids of Egypt. There are hundreds of types of limestone available in different colors, textures, and varying degrees of permeability making it aesthetically versatile. Limestones are extremely versatile as you can use them in a vast range of outdoor areas including patios, pathways, courtyards, verandas, poolside and stepping stones. Some types are better suited for flat exterior surfaces than others. Furthermore, it has a naturally non-slip surface making it perfectly safe for areas that might get wet such as around pools, hot tubs, and ponds.

Disclaimer :

Efflorescence is a crystalline deposit of salts created when water is present especially on limestones. Efflorescence diminishes the color and brightness of the surface giving a false notion that the stone has begun to fade when these deposits overshadow their original hue and shade.



LIME BLACK

ANTIQUE YELLOW

FRENCH VANILLA

INDIAN BLUESTONE

ANTIQUE BLACK



ANTIQUE BLACK



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	14"x24"x2"±
COLUMN CAP (4 Sides rock face)	24"x24"x1½"±
	24"x24"x2"±
	29"x29"x2"±
DRIVEWAY PAVERS (Rock face)	6"x6"x1½"±
	6"x9"x1½"±
DRIVEWAY PAVERS (Saw cut)	6"x6"x2"±
	6"x9"x2"±
FLAGSTONE (Concrete base)	1"±
FLAGSTONE (Sand base)	2"±
PAVER JUMBO PATTERN (4 Sides saw cut)	12"x12"x1½"±
	12"x24"x1½"±
	24"x24"x1½"±
	24"x36"x1½"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1½"±
	12"x24"x1½"±
	24"x24"x1½"±
	24"x36"x1½"±
STEPPING STONE -IRREGULAR	18"-24"x1½"±
TILE (4 Sides saw cut)	12"x24"x¾"±
WALL CAP (4 Sides rock face)	12"x24"x1½"±
	16"x24"x2"±

Antique Black consists of a blend of black and charcoal tones. The surface is tumbled to get a smooth, chalky antique look, which will dramatically change the ambiance of your project.


Finish : Tumbled finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

***Disclaimer :** Antique black limestone is rich in mineral salts which over time can result in efflorescence which diminishes the color of the natural stone.

PAVER JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides saw cut)



ROCK FACE JUMBO PATTERN

12"x12"x1½", 12"x24"x1½", 24"x24"x1½", 24"x36"x1½"±
(4 Sides rock face)



DRIVEWAY PAVERS (Rock face)

6"x6"x1½"±, 6"x9"x1½"±



DRIVEWAY PAVERS (Saw cut)

6"x6"x2"±, 6"x9"x2"±





INDIAN BLUESTONE

BULLNOSE (1 Long side bullnose)

14"x24"x2"±



WALL CAP (4 Sides rock face)

12"x24"x1¼"±

16"x24"x2"±



COLUMN CAP (4 Sides rock face)

24"x24"x1¼"±

24"x24"x2"±

29"x29"x2"±



TILE (4 Sides saw cut)

12"x24"x¾"±



FLAGSTONE

1"± (Concrete Base)

2"± (Sand Base)



STEPPING STONES (Irregular)

18"-24"x1¼"±



TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	14"x24"x2"±
COLUMN CAP (4 Sides rock face)	24"x24"x1¼"±
EASED EDGE (1 Long side eased edge)	24"x24"x2"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER JUMBO PATTERN (4 Sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	¾"±
TILE (4 Sides saw cut)	16"x24"x¾"±
TREADS (3 Sides rock face & 1 long side saw cut)	48"x12"x1½"±
	60"x16"x1½"±
WALL CAP (4 Sides rock face)	12"x24"x1¼"±
	14"x24"x2"±
*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"	

Indian Bluestone comprises darker tones of blues and greys. Similar to other limestones, the surface is relatively smooth and flat with fewer ridges making it suitable for a variety of applications, including interiors and exteriors.

Finish : Natural finish, edges are saw-cut, bullnose, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆




INDIAN BLUESTONE




PAVER JUMBO PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼", 24"x36"x1¼"±
(4 Sides saw cut)



ROCK FACE JUMBO PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼", 24"x36"x1¼"±
(4 Sides rock face)



BULLNOSE

(1 Long side bullnose)
14"x24"x2"±



WALL CAP

(4 Sides rock face)
12"x24"x1¼"±
14"x24"x2"±



COLUMN CAP

(4 Sides rock face)
24"x24"x1¼"±
24"x24"x2"±




TILE

(4 Sides saw cut)
16"x24"x¾"±



PAVER VERSAILLES PATTERN ¾"± (4 Sides saw cut)




EASED EDGE (1 Long side eased edge)

14"x24"x2"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand Base)



TREADS

(3 Sides rock face & 1 long side saw cut)
48"x12"x1½"±
60"x16"x1½"±





ANTIQUE YELLOW



"Sealed"

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1 1/4"± 29"x29"x2"±
EASED EDGE (1 Long side eased edge)	14"x24"x2"±
PAVER (4 Sides saw cut)	16"x24"x1 1/4"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1 1/4"±
ROCK FACE RANDOM PATTERN (4 Sides rock face)	12"x12"x1 1/4"± 12"x24"x1 1/4"± 24"x24"x1 1/4"±
WALL CAP (4 Sides rock face)	12"x24"x1 1/4"±

*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"

Antique yellow is a limestone that shows dynamic range of shades from light honey and soft to soft brown featuring a great look. Provides a royal and sophisticated touch to the interior as well as exterior surfaces.

FINISH : Tumbled finish, edges are chiseled, straight, saw cut or a mixture depending on the product.

COLOR VARIATION : ★★★★★☆

PAVER VERSAILLES PATTERN 1 1/4"±

Also available in loose size

16"x24"x1 1/4"±

(4 Sides saw cut)



ROCK FACE RANDOM PATTERN

12"x12"x1 1/4", 12"x24"x1 1/4", 24"x24"x1 1/4"±

(4 Sides rock face)



EASED EDGE (1 Long side eased edge)

14"x24"x2"±



COLUMN CAP (4 Sides rock face)

24"x24"x1 1/4"±


29"x29"x2"±



WALL CAP

(4 Sides rock face)

12"x24"x1 1/4"±





FRENCH VANILLA



French Vanilla limestone comprises mainly pale shades of yellow with hints of grey and green undertones. This limestone brightens up the surrounding with a warm and welcoming environment. Additionally, light-colored stone compliments a wide variety of designs & can easily incorporate bold colors into the design.


Finish : Natural finish, edges are saw-cut or chiseled depending on the product.

Color Variation : ★★★★★

TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1¼"±
FLAGSTONE (Concrete Base)	1"±
FLAGSTONE (Sand Base)	2"±
PAVER RANDOM PATTERN (4 Sides saw cut)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1¼"±
	12"x24"x1¼"±
	24"x24"x1¼"±
	24"x36"x1¼"±
SLAB (4 Sides rock face)	60"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
TILE (4 Sides saw cut)	16"x16"x¾"±
	24"x24"x¾"±
TREADS (3 Sides rock face & 1 long side saw cut)	60"x16"x2"±
	12"x24"x1¼"±
WALL CAP (4 sides rock face)	12"x24"x1¼"±
	14"x24"x2"±

PAVER RANDOM PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼"±
(4 Sides saw cut)



ROCK FACE JUMBO PATTERN

12"x12"x1¼", 12"x24"x1¼", 24"x24"x1¼", 24"x36"x1¼"±
(4 Sides rock face)



COLUMN CAP (4 Sides rock face)


24"x24"x1¼"±



WALL CAP (4 Sides rock face)

12"x24"x1¼"±

14"x24"x2"±




STEPS (4 Sides rock face)

48"x16"x6"±



TILE (4 Sides saw cut)

16"x16"x¾"± & 24"x24"x¾"±



FLAGSTONE

1"± (Concrete Base)
2"± (Sand base)




SLAB (4 Sides rock face)

60"x 36"x2"±




TREADS (3 Sides rock face & 1 long side saw cut)

60"x16"x2"±





LIME BLACK



TYPE	Size in Inches (Approx.)
COLUMN CAP (4 Sides rock face)	24"x24"x1 1/4"±
ROCK FACE JUMBO PATTERN (4 Sides rock face)	12"x12"x1 1/4"±
	12"x24"x1 1/4"±
	24"x24"x1 1/4"±
	24"x36"x1 1/4"±
SLAB (4 Sides rock face)	72"x36"x2"±
STEPS (4 Sides rock face)	48"x16"x6"±
	48"x12"x2"±
TREADS (3 Sides rock face & 1 long side saw cut)	60"x16"x2"±
	72"x18"x2"±
WALL CAP (4 Sides rock face)	12"x24"x1 1/4"±
	14"x24"x2"±

Lime Black consists of a blend of black and charcoal tones. With fewer ridges and flat smooth surfaces, it is suitable for both interior stone flooring and exterior patios. A relatively consistent dark tone makes it optimal to provide contrast for the color and texture of other stones.

Finish : Natural finish, edges are saw-cut, chiseled edges or a mixture depending on the product.

Color Variation : ★★☆☆☆

***Disclaimer : Lime black limestone is rich in mineral salts which over time can result in efflorescence which diminishes the color of the natural stone.**

COLUMN CAP (4 Sides rock face)

24"x24"x1 1/4"±



WALL CAP (4 Sides rock face)


12"x24"x1 1/4"±

14"x24"x2"±



SLAB (4 Sides rock face)

72"x36"x2"±



ROCK FACE JUMBO PATTERN

12"x12"x1 1/4", 12"x24"x1 1/4", 24"x24"x1 1/4", 24"x36"x1 1/4"±
(4 Sides rock face)



STEPS (4 Sides rock face)

48"x16"x6"±




TREADS

(3 Sides rock face & 1 long side saw cut)

48"x12"x2"±

60"x16"x2"±

72"x18"x2"±





TRAVERTINE

Travertine is a form of limestone formed by the precipitation of carbonate mineral solution in ground and surface waters. Exposure to heat causes the evasion of Carbon dioxide from the alkaline solution leaving behind holes on the surface. This reduces the solubility of carbonate, making it precipitate.

Travertine has been used for centuries to build exquisite architectural marvels that are still standing to this day, the most famous Coliseum also known as the Flavian Amphitheatre in Rome. Its proven durability and lasting beauty have continued to prompt builders and homeowners to choose travertine tiles or pavers in modern building projects. Travertine is so versatile; it can be used in a number of places both inside and outside. While regular maintenance and care are required with travertine floors, these materials have the potential to last a long time. Travertine tiles are a great choice when it comes to floors and walls of kitchens, hallways, and bathrooms. The exterior elements like walkways, sidewalks, patio, swimming pool, and exterior walls, etc. can be built using travertine

Disclaimer :

Travertine is a porous stone and the surface will have visible pores. The pores are the inherent nature of the stone which adds a unique look to the stone and should not be considered as defects.



ANTIQUE IVORY

ANTIQUE WALNUT

ANTIQUE GRIS

ANTIQUE SCABOS



ANTIQUE IVORY



PAVER VERSAILLES PATTERN 1¼" & ½"±

Also available in loose size

16"x24"x1¼"±

(4 Sides saw cut)



Travertine is white when no impurities are present, Antique Ivory has a range of colors from cream to light beige gives a graceful look to your interiors and exteriors. This light color of travertine is widely used for building pool decks & coping as it reflects heat & keeps the surface cool during summer.

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★☆

***Disclaimer :** Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"± 16"x24"x2"±
LEDGE STONE-PANEL*	6"x24"x¾"±
LEDGE STONE-CORNER*	6"x18"x6"x¾"±
PAVER (4 Sides saw cut)	16"x24"x1¼"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1¼"± ½"±
*LEDGE STONE is non cement backing.	
*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"	

BULLNOSE (1 Long side bullnose)

12"x24"x2"±

16"x24"x2"±



LEDGE

Panel - 6"x24"x¾"±

Corner - 6"x18"x6"x¾"±



Corner

Panel



ANTIQUE WALNUT

The warm and earthy tones ranging from light beige to walnut can bring the towering dominance of earth to a flooring installation without overwhelming a room with dramatic colors. The smooth surface makes it suitable for both interior and exterior usage.

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★☆

***Disclaimer :** Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"± 16"x24"x2"±
PAVER (4 Sides saw cut)	16"x24"x1¼"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1¼"±
*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"	

PAVER VERSAILLES PATTERN 1¼"±

Also available in loose size

16"x24"x1¼"±


(4 Sides saw cut)



BULLNOSE (1 Long side bullnose)


12"x24"x2"±

16"x24"x2"±





ANTIQUE GRIS



A beautiful blend of silver, grey, and white adds a captivating factor to the conventional travertine. This neutral colored travertine blends well with other colors and provides a modern edge to both interior and exterior applications.

Finish : Tumbled finish, edges are saw-cut, bullnose, or a mixture depending on the product.

Color Variation : ★★★★★

***Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .**

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"±
	16"x24"x2"±
LEDGE STONE-PANEL*	6"x24"x¾"±
LEDGE STONE-CORNER*	6"x18"x6"x¾"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1¼"±
*LEDGE STONE is non cement backing.	
*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"	

PAVER VERSAILLES PATTERN 1¼"±

(4 Sides saw cut)



BULLNOSE (1 Long side bullnose)

12"x24"x2"±

16"x24"x2"±



LEDGE

Panel - 6"x24"x¾"±

Corner - 6"x18"x6"x¾"±




Corner

Panel



ANTIQUE SCABOS



PAVER VERSAILLES PATTERN 1¼" & ½"±

Also available in loose sizes


8"x8"x1¼", 8"x16"x1¼", 16"x16"x1¼", 16"x24"x1¼"±

(4 Sides saw cut)



BULLNOSE (1 Long side bullnose)

12"x24"x2"±



LEDGE

Panel - 6"x24"x¾"±

Corner - 6"x18"x6"x¾"±



Corner

Panel



Antique scabos travertine showcases a wide range of colors from cream, red, brown, and grey, etc. Every piece is unique and flaunts a bold look for your design project.

Finish : Tumbled finish, edges are saw-cut.

Color Variation : ★★★★★

***Disclaimer : Travertine is not a dense product which makes it less suitable for use in Freeze/Thaw Climates .**

TYPE	Size in Inches (Approx.)
BULLNOSE (1 Long side bullnose)	12"x24"x2"±
LEDGE STONE-PANEL*	6"x24"x¾"±
LEDGE STONE-CORNER*	6"x18"x6"x¾"±
PAVER (4 Sides saw cut)	8"x8"x1¼"±
	8"x16"x1¼"±
	16"x16"x1¼"±
	16"x24"x1¼"±
PAVER VERSAILLES PATTERN* (4 Sides saw cut)	1¼"±
	½"±
*LEDGE STONE is non cement backing.	
*Versailles Pattern sizes include 8"x8", 8"x16", 16"x16", 16"x24"	



BULLNOSE

1 Long side bullnose

Bullnose is a term used to define a smooth rounded edge in masonry. It is generally used as a perimeter of various designs and provides a safer environment. Natural stones bullnoses are used for Pool coping, wall caps, stairways, firepits, etc. Available in a wide range of colors and texture, it provides an optimal solution to match or contrast according to your design requirements.



Antique Black
14"x24"x2"±



Antique Brown
14"x24"x2"±




Antique Gris
12"x24"x2"±
16"x24"x2"±



Antique Ivory
12"x24"x2"±
16"x24"x2"±




Antique Scabos
12"x24"x2"±



Antique Walnut
12"x24"x2"±
16"x24"x2"±



California Gold
12"x24"x1½"±
14"x24"x2"±



Grey Mist
14"x24"x2"±



Indian Bluestone
14"x24"x2"±



EASED EDGE

1 Long side eased edge

Eased edge is a smooth straight edge finish that provides an alternative to the bullnose edge. Similar to the bullnose, it used to provide a safer environment for pool coping, wall caps, stairways, firepits, etc. Eased edge provides a modern look and finish over the traditional bullnose edge.



Grey Mist
14"x24"x2"±



Antique Brown
14"x24"x2"±



Antique Yellow
14"x24"x2"±




Indian Bluestone
14"x24"x2"±





FLAGSTONE



Antique Gold
1"± & 2"±



Antique Rustic
1"± & 2"±



Autumn Mist
1"± & 2"±



Basalt
16"-30"x1¼"±



Antique Brown
1"± & 2"±



Antique Charcoal
2"±



Black Slate
1"± & 2"±



Brown Mist
1"± & 2"±



Flagstones are irregularly shaped stones used for paving patios, walkways & pool areas. Large surface area and irregular shape of the individual pieces allow the designer to create innovative and intriguing designs for any surfaces. The random size of the individual pieces makes it look like pieces of the puzzle put together to create a distinctly transcendent surface.



FLAGSTONE



California Gold
1"± & 2"±



Chocolate
1"±



Indian Autumn
1"±



Indian Bluestone
1"± & 2"±



Ebony Black
1"± & 2"±



French Vanilla
1"± & 2"±



Multi Classic
1"± & 2"±



Ocean Green
1"±



Grey Mist
1"± & 2"±



Green Rustic
1"± & 2"±



Panther
1"± & 2"±



Silver Pearl
1"± & 2"±






COBBLESTONE



Cobblestones are cubical granite stones used to pave roads, driveways, decorate buildings, walls and fireplace hearths. The durability and aesthetic appeal of the stone makes it an optimal choice for load-bearing areas like driveways.


Black Cobbles
3½"x3½"x3½"±
8"x4"x2"±



Grey Cobbles
3½"x3½"x3½"±



Gold Cobbles (Tumbled)
3½"x3½"x3½"±, 8"x4"x2"±



DRIVEWAY PAVERS

Driveways are an important part of an entrance that adds to the attractiveness of curb. Natural stone driveway pavers can give an exquisite appearance to your driveway while providing the durability to withstand vehicular use. Natural stone driveway pavers offer excellent longevity, fast installation, better safety, and damaged pavers can easily be replaced. Our driveways pavers are ideal for both residential and commercial projects.

Antique Brown (Rock face)
6"x6"x1½"±, 6"x9"x1½"±



Antique Black (Rock face)
6"x6"x1½"±, 6"x9"x1½"±



Antique Black (Saw cut)
6"x6"x2"±, 6"x9"x2"±





COLUMN CAP

Column caps are used to make a smooth transition for landscape walls serving as finishing touch for pillars, columns, and mailboxes. Usually need to be larger than the dimensions of the column to allow overhang. Available in different sizes and colors, our column caps are an optimal solution for your design environment.

4 sides rock face

Antique Black
24"x24"x1¼"± & 24"x24"x2"±
29"x29"x2"±



Antique Brown
24"x24"x1¼"±



Antique Buff
24"x24"x1½"±




Antique Yellow
24"x24"x1¼"± & 29"x29"x2"±



Autumn Mist
24"x24"x1½"± & 24"x24"x2"±
29"x29"x2"±




Black Slate
24"x24"x2"±



Brown Mist
24"x24"x1¼"±



California Gold
24"x24"x2"± & 29"x29"x2"±



French Vanilla
24"x24"x1¼"±



Grey Mist
24"x24"x1¼"± & 24"x24"x2"±
29"x29"x2"±




Indian Bluestone
24"x24"x1¼"± & 24"x24"x2"±



Lime Black
24"x24"x1¼"±



Vintage White
24"x24"x1¼"± & 24"x24"x2"±



WALL CAP



Natural stone wall caps provide the perfect finishing touch to a stone retaining wall, fence, column or pier. Additionally, it helps protects the walls from damage and ingress of water. Wall caps are chiseled on all sides which provides a distinct finish for landscape designs. 4 sides rock face

Antique Black
12"x24"x1¼"± & 16"x24"x2"±



Antique Brown
12"x24"x1¼"± & 16"x24"x2"±



Antique Buff
12"x24"x1½"± & 16"x24"x2"±



Antique Yellow
12"x24"x1¼"±



Autumn Mist
12"x24"x1½"± & 14"x24"x2"±



Basalt
14"x24"x2"±



Black Slate
12"x24"x1½"±



Brown Mist
12"x24"x1¼"± & 14"x24"x2"±



California Gold
12"x24"x1½"±



Ebony Black
14"x24"x2"±



French Vanilla
12"x24"x1¼"± & 14"x24"x2"±



Grey Mist
12"x24"x1¼"± & 14"x24"x2"±



Indian Bluestone
12"x24"x1¼"± & 14"x24"x2"±



Lime Black
12"x24"x1¼"± & 14"x24"x2"±



Vintage White
12"x24"x1¼"± & 14"x24"x2"±





SLAB


Slabs are generally used for making kitchen countertops and outdoor BBQs where grout joints dwindle the overall appeal of the structure. All four sides are chiseled to exhibit the natural beauty of the stone



Autumn Mist (4 Sides rock face)
72"x36"x2"±



Basalt (4 Sides saw cut)
72"x27"x2"±



Brown Mist (4 Sides rock face)
72"x36"x2"±



California Gold (4 Sides saw cut)
60"x36"x2"±



French Vanilla (4 Sides rock face)
60"x 36"x2"±



Grey Mist (4 Sides rock face)
72"x36"x2"±



Lime Black (4 Sides rock face)
72"x36"x2"±



STEPS



Natural Stone Steps are as risers for places with elevation. Suited for front and backyard applications, it sets a strong statement in your landscape. Steps are extremely durable, the size of the stone makes it sturdy and reliable once it is installed.

Autumn Mist
(4 Sides rock face)
48"x16"x6"±



Basalt
(3 Sides rock face & 1 long side saw cut)
48"x16"x6"±



Brown Mist
(4 Sides rock face)
48"x16"x6"±



French vanilla
(4 Sides rock face)
48"x16"x6"±



Grey Mist
(4 Sides rock face)
48"x16"x6"±



Indigo Bluestone
(4 Sides rock face)
48"x16"x6"±



Lime Black
(4 Sides rock face)
48"x16"x6"±





THIN VENEER



Natural Stone Thin Veneer is a thin layer of stone used as decorative material that is not meant to be load-bearing. Thin veneer can be used in thin sections because of the shorter span between anchoring points. Multiplane units like Column covers, reveal window frames, parapet sections, etc are more economically assembled over thin veneer while enhancing the beauty of the structure.

Available sizes :

Flat 1", Corner 1"



Black Pearl - Antique Castle 1"±



Black Pearl - Ledge 1"±



Autumn Mist - Ledge 1"±



Creekside Blend - Ledge 1"±



Mocha - Ledge 1"±




Grey Mist Blend - Ledge 1"±



Grey Mist Blend - Antique Castle 1"±



Grey Mist Blend - Ashlar 1"±



Silver Pearl - Dimensional 1"±




Silver Pearl - Ledge 1"±



Silver Pearl - Antique Castle 1"±



Silver Pearl - Fieldstone 1"±




Steel Quartz - Ashlar 1"±



Steel Quartz - Ledge 1"±



TREADS



Treads are long rectangular capstones used on stairs, front doorsteps, wall capping, and pool coping. The length of the tread can minimize the number of grout joints for a flawless design structure. Additionally, they can be used as mantels and hearths for fireplaces.



Autumn Mist
60"x16"x2"±
(3 Sides rock face & 1 long side saw cut)




Basalt
48"x12"x2"±
60"x16"x2"±
(3 Sides eased edge & 1 long side rock face)



Brown Mist
60"x16"x2"±
(3 Sides rock face & 1 long side saw cut)



California Gold
60"x16"x2"±
(3 Sides rock face & 1 long side saw cut)



Ebony Black
48"x12"x2"±
60"x16"x2"±
(3 Sides rock face & 1 long side saw cut)



French Vanilla
60"x16"x2"±
(3 Sides rock face & 1 long side saw cut)



Grey Mist
48"x12"x2"±
60"x16"x2"±
72"x18"x2"±
(3 Sides rock face & 1 long side saw cut)



Indian Bluestone
48"x12"x1½"±
60"x16"x1½"±
(3 Sides rock face & 1 long side saw cut)



Lime Black
48"x12"x2"±
60"x16"x2"±
72"x18"x2"±
(3 Sides rock face & 1 long side saw cut)



TILE

Tiles are quadrilateral thin cut square or rectangular pieces of natural stones tailored to be used on mortar or cement. These stone pieces are available with a thickness of 1/2" or 3/4". Natural color variation and multiverse of colors bring lustrous appearance to the interior as well as exterior flooring, featuring sawn or chiseled edges.

Also comes in four dimensions i.e, 8"x8", 8"x16", 16"x16", and 16"x24" to form an interlocking pattern of squares and rectangles.



Antique Black
(4 Sides saw cut)
12"x24"x3/4"±



Black Slate (4 Sides saw cut)
12"x12"x1/2"± & 16"x16"x1/2"±
12"x24"x1/2"± & 24"x24"x1/2"±



California Gold (4 Sides saw cut)
12"x12"x1/2"± & 16"x16"x1/2"±
12"x24"x1/2"± & 24"x24"x1/2"±



French Vanilla (4 Sides saw cut)
16"x16"x3/4"± & 24"x24"x3/4"±



Indian Bluestone (4 Sides saw cut)
16"x24"x3/4"±









Multi Classic (4 Sides saw cut)
12"x12"x1/2"± & 16"x16"x1/2"±
24"x24"x1/2"±



WINDOW SILL



A window sill is the decorative covering around the window's edge that protects where the window attaches to the wall. Window sills help keep water and hold the window in place while elevating the aesthetic appeal of the place.







LEDGE STONE - PANEL/CORNER


GLUE BACKING $\frac{3}{4}" \pm$




Ledgestone or stack stone are stripes of natural stone arranged uniformly on a mesh to form a veneer. The ledge stone panels are "Z" shaped designed to interlock with one another. It comes with matching "L" shaped 2-piece corner pieces to provide a beautiful finish on the edges. Ideal for retaining walls, facades, and fireplaces to boost the overall appearance of the terrain.




Antique Gold (Quartzite)



Autumn Mist (Sandstone)



Black Waterfall (Slate) $1\frac{1}{4}" \pm$



Antique Gris (Travertine)



California Gold (Slate)



Classic Black (Slate)



Antique Ivory (Travertine)




Gold Quartz (Quartzite)




Multi Color (Slate)



Antique Scabos (Travertine)



Smoky Rust (Slate)




Steel Quartz (Quartzite)



LEDGE STONE - PANEL/CORNER

CEMENT BACKING 1 1/4"±



Desert Gold (Quartzite Mix)



Sage Green (Quartzite)



Smoke Stack (Slate Mix)


STEPPING STONES



Stepping stones provide a pathway to navigate through your garden. Natural stones blend well with nature and hence becomes an excellent choice as stepping stones. The ease of installation coupled with creativity will provide an elegant look to any layout.



Antique Black (Irregular)
18"-24"x1 1/4"±



Antique Brown (Irregular)
18"-24"x1 1/4"±



Antique Brown (Round)
18"x18"x1 1/2"±



Antique Brown (Heart)
15"x18"x1 1/2"±



Multi Classic (Square)
18"x18"x1 1/2"±



Multi Classic (Round)
18"x18"x1 1/2"±



Multi Classic (Heart)
15"x18"x1 1/2"±






PEBBLES

Pebbles are smooth rounded stones used for decorative purposes. Commonly used as ground cover, it is used externally to create multi-textured pathways or walkways, garden mulch and decorate drains. Pebbles are flexible enough to be used indoors to decorate aquariums and pot plants.

**Disclaimer : Jet Black Pebbles (Basalt) is rich in iron content, typically iron-rich minerals over time have the potential to discolor because of oxidation.*



Beige (Marble)
1"-2"±



Snow White (Marble)
1"-2"±



Peacock (Mix)
1"-2"±



Jet Black (Basalt)
1"-2"±



PAVER VERSAILLES PATTERN



The Versailles pattern is a combination of multiple numbers of four different size pavers to form a pattern. A total of 12 pieces covering 16 sq.ft comes with four pieces of each 8"x8" and 16"x16" ; two pieces of each 8"x16" and 16"x24" to form a pattern. This interlocking paver pattern enhances the look of any given environment.



Antique Brown

Sizes available - 1 1/4"±

Also available loose - 16"x24"x1 1/4"±
(4 Sides saw cut)



Antique Gold,

Sizes available - 1"±

(4 Sides saw cut)





PAVER VERSAILLES PATTERN




Antique Gris
 Sizes available - 1 1/4" ±
 (4 Sides saw cut)



Antique Ivory
 Sizes available - 1 1/4" ± & 1/2" ±
 Also available loose - 16"x24"x1 1/4" ±
 (4 Sides saw cut)



Antique Rustic, Sizes available - 1 1/4" ±
 Also available loose - 8"x8"x1 1/4"
 8"x16"x1 1/4", 16"x16"x1 1/4", 16"x24"x1 1/4" ±
 (4 Sides saw cut)




Antique Scabos, Sizes available - 1 1/4" ± & 1/2" ±
 Also available loose - 8"x8"x1 1/4"
 8"x16"x1 1/4", 16"x16"x1 1/4", 16"x24"x1 1/4" ±
 (4 Sides saw cut)



Antique Walnut
 Sizes available - 1 1/4" ±
 Also available loose - 16"x24"x1 1/4" ±
 (4 Sides saw cut)



Antique Yellow
 Sizes available - 1 1/4" ±
 Also available loose - 16"x24"x1 1/4" ±
 (4 Sides saw cut)



California Gold, Sizes available - 1 1/4" ± & 1/2" ±
 Also available loose - 8"x8"x1 1/4"
 8"x16"x1 1/4", 16"x16"x1 1/4", 16"x24"x1 1/4" ±
 (4 Sides saw cut)



Indian Bluestone
 Sizes available - 3/4" ±
 (4 Sides saw cut)



Multi Classic
 Sizes available - 1/2" ±
 (4 Sides saw cut)



Antique Black
 12"x12"x1 1/4", 12"x24"x1 1/4",
 24"x24"x1 1/4", 24"x36"x1 1/4" ±
 (4 Sides saw cut)



Autumn Mist
 12"x12"x1 1/4", 12"x24"x1 1/4",
 24"x24"x1 1/4", 24"x36"x1 1/4" ±
 (4 Sides saw cut)



Basalt
 12"x12"x1 1/4", 12"x24"x1 1/4",
 24"x24"x1 1/4", 24"x36"x1 1/4" ±
 (4 Sides saw cut)



Ebony Black
 12"x12"x1 1/4", 12"x24"x1 1/4",
 24"x24"x1 1/4", 24"x36"x1 1/4" ±
 (4 Sides saw cut)



Grey Mist
 12"x12"x1 1/4", 12"x24"x1 1/4",
 24"x24"x1 1/4", 24"x36"x1 1/4" ±
 (4 Sides saw cut)



Indian Bluestone
 12"x12"x1 1/4", 12"x24"x1 1/4",
 24"x24"x1 1/4", 24"x36"x1 1/4" ±
 (4 Sides saw cut)



ROCK FACE JUMBO PATTERN



Antique Black
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼", 24"x36"x1¼"+
(4 Sides rock face)



Antique Buff
12"x12"x1½", 12"x24"x1½"
24"x24"x1½", 24"x36"x1½"+
(4 Sides rock face)



Autumn Mist
12"x12"x1½", 12"x24"x1½"
24"x24"x1½", 24"x36"x1½"+
(4 Sides rock face)



French Vanilla
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼", 24"x36"x1¼"+
(4 Sides rock face)



Grey Mist
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼", 24"x36"x1¼"+
(4 Sides rock face)



Indian Bluestone
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼", 24"x36"x1¼"+
(4 Sides rock face)



Lime Black
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼", 24"x36"x1¼"+
(4 Sides rock face)




Vintage White
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼", 24"x36"x1¼"+
(4 Sides rock face)

PAVER RANDOM PATTERN




California Gold
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼"+
(4 Sides saw cut)



French Vanilla
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼"+
(4 Sides saw cut)

ROCK FACE RANDOM PATTERN



Antique Brown
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼"+
(4 Sides rock face)



Antique Yellow
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼"+
(4 Sides rock face)



Brown Mist
12"x12"x1¼", 12"x24"x1¼"
24"x24"x1¼"+
(4 Sides rock face)



PACKING CHART



Description	available in color	pcs/box	boxes/pallet	sq.ft./pallet (approx.)	pcs/pallet	Weight/pallet (approx.) lbs
Bullnose 12"x24"x1½"±	CG	LOOSE	LOOSE	150	75	3000
Bullnose 12"x24"x2"±	AGS, AIV, ASC, AWA	LOOSE	LOOSE	80	40	2300
Bullnose 14"x24"x2"±	ABL, ABR, AGR, CG, GM, IB	LOOSE	LOOSE	103	44	3000
Bullnose 16"x24"x2"±	AGS, AIV, AWA	LOOSE	LOOSE	107	40	3000
Cobblestone 3½"x3½"x3½"±	BL, GO, GRY	LOOSE	LOOSE	—	530	2500
Cobblestone 8"x4"x2"±	BL, GO	LOOSE	LOOSE	—	270	2500
Cobblestone 9"x5"x4"±	BL, GRY	LOOSE	LOOSE	—	140	3300
Column Cap 24"x24"x1¼"±	ABL, ABR, AYE, BM, FV, GM, IB, LB, PG, VW	LOOSE	LOOSE	112	28	2000
Column Cap 24"x24"x1½"±	ABF, AM	LOOSE	LOOSE	100	25	2200
Column Cap 24"x24"x2"±	ABL, AM, BL, CG, GM, IB, PG, VW	LOOSE	LOOSE	80	20	2200
Column Cap 29"x29"x2"±	ABL, AYE, AM, BL, CG, GM, INB, PG	LOOSE	LOOSE	105	18	3000
Driveway Pavers 6"x6"x1½"±	ABL, ABR	LOOSE	LOOSE	150	600	3000
Driveway Pavers 6"x9"x1½"±	ABL, ABR	LOOSE	LOOSE	150	400	3000
Driveway Pavers 6"x6"x2"±	ABL	LOOSE	LOOSE	120	480	3200
Driveway Pavers 6"x9"x2"±	ABL	LOOSE	LOOSE	120	320	3200
Eased Edge 14"x24"x2"±	ABR, AYE, GM, IB, PG	LOOSE	LOOSE	103	44	3000
Flagstone Concrete Base 1"±	ABL, ABR, AGO, ARU, AM, BL, BM, CG, CHO, EBL, FV, GM, GR, IA, IB, MC, OG, PA, PG, SP	LOOSE	LOOSE	coverage ~300 sq.ft /pallet	—	~3500-4500 /pallet
Flagstone Sand Base 2"±	ABL, ABR, ACC, AGO, ARU, AM, BL, BM, CG, CHO, EBL, FV, GM, GR, IB, MC, PA, PG, SP	LOOSE	LOOSE	coverage ~160 sq.ft /pallet	—	~3500-4500 /pallet
Flagstone 16"-30"x1¼"±	BLT	LOOSE	LOOSE	—	—	2400
Ledge Stone Panel 6"x24"x¾"±	AGS, AIV, ASC	6	30	180	180	2200
Ledge Stone Corner 6"x18"x6"x¾"±	AGS, AIV, ASC	6	24	144	144	1800
Ledge Stone Panel 6"x24"x¾"±	ABL, AGO, AM, CG, CLB, CYR, GQU, MCO, SQ, SR	5	36	180	180	2200
Ledge Stone Corner 6"x18"x6"x¾"±	ABL, AGO, AM, CG, CLB, CYR, GQU, MCO, SQ, SR	6	24	144	144	1800
Ledge Stone Panel 6"x24"x1¼"±	BLW	4	36	144	144	1800
Ledge Stone Corner 6"x18"x6"x1¼"±	BLW	4	36	144	144	1800
Ledge Stone Panel 6"x24"x1¼"±	DG, SG, SS	4	30	120	120	1900
Ledge Stone Corner 6"x18"x6"x1¼"±	DG, SG, SS	2	50	100	100	1600
Paver 6"x6"x1"±	AGO	LOOSE	LOOSE	216	864	2800
Paver 8"x8"x1"±	GQU	LOOSE	LOOSE	128	288	2000
Paver 8"x8"x1½"±	AB, ARU, ASC, CG	LOOSE	LOOSE	107	240	2000
Paver 8"x16"x1¼"±	ARU, ASC, CG	LOOSE	LOOSE	107	120	2000
Paver 12"x12"x1¼"±	ABL, AM, BLT, CG, EBL, FV, GM, IB, PG	LOOSE	LOOSE	144	144	2500
Paver 12"x24"x1"±	AGR	LOOSE	LOOSE	216	108	2800
Paver 12"x24"x1¼"±	ABL, AM, BLT, CG, EBL, FV, GM, IB, PG	LOOSE	LOOSE	150	75	2600
Paver 16"x16"x1¼"±	ARU, ASC, CG	LOOSE	LOOSE	107	60	2000
Paver 16"x24"x1¼"±	AB, ABR, AIV, ARU, ASC, AWA, AYE, CG	LOOSE	LOOSE	160	60	3000
Paver 24"x24"x1"±	AGR	LOOSE	LOOSE	144	36	2200
Paver 24"x24"x1¼"±	ABL, AM, BLT, CG, EBL, FV, GM, IB, PG	LOOSE	LOOSE	112	28	1900
Paver 24"x36"x1¼"±	ABL, AM, BLT, EBL, GM, IB, PG	LOOSE	LOOSE	168	28	3000
Paver Versailles Pattern 1"±	AGO	LOOSE	LOOSE	192	144	2700
Paver Versailles Pattern 1¼"±	ABR, AGS, AIV, ARU, ASC, AWA, AYE, CG	LOOSE	LOOSE	160	120	3000

Description	available in color	pcs/box	boxes/pallet	sq.ft./pallet (approx.)	pcs/pallet	Weight/pallet (approx.) lbs
Pebbles 1"-2"	BG, JBL, PK, SW	—	—	—	40 bags	1700(40lbs/bag)
Porcelain Pavers 12"x24"x¾"±	ABL, AM, AZW, CG, GQU, MC, PG, SGR	3	LOOSE	288	144	2700
Porcelain Pavers 24"x24"x¾"±	ABL, AW, AM, AZW, CG, CYW, GQU, MC, PG, SGR	2	LOOSE	240	60	2200
Rock Face 12"x12"x1¼"±	ABL, ABR, AYE, BM, GM, FV, IB, LB, PG, VW	LOOSE	LOOSE	168	168	3000
Rock Face 12"x12"x1½"±	ABF, AM	LOOSE	LOOSE	150	150	3000
Rock Face 12"x24"x1¼"±	ABL, ABR, AYE, BM, GM, LB, FV, IB, PG, VW	LOOSE	LOOSE	168	84	3000
Rock Face 12"x24"x1½"±	ABF, AM	LOOSE	LOOSE	150	75	3000
Rock Face 24"x24"x1¼"±	ABL, ABR, AYE, BM, GM, LB, FV, IB, PG, VW	LOOSE	LOOSE	112	28	2000
Rock Face 24"x24"x1½"±	ABF, AM	LOOSE	LOOSE	100	25	2200
Rock Face 24"x36"x1¼"±	ABL, GM, LB, FV, IB, PG, VW	LOOSE	LOOSE	168	28	3000
Rock Face 24"x36"x1½"±	ABF, AM	LOOSE	LOOSE	150	25	3000
Slab 60"x36"x2"±	CG, FV	LOOSE	LOOSE	120	8	3300
Slab 72"x27"x2"±	BLT	LOOSE	LOOSE	108	8	3000
Slab 72"x36"x2"±	AM, BM, GM, INB, LB, PG	LOOSE	LOOSE	144	8	4000
Stepping Stone Irregular 18"-24"x1¼"±	ABL, ABR	LOOSE	LOOSE	—	60	2800
Stepping Stone Heart 15"x18"x1½"±	ABR, MC	LOOSE	LOOSE	—	50	1700
Stepping Stone Round 18"x18"x1½"±	ABR, MC	LOOSE	LOOSE	—	50	1700
Stepping Stone Square 18"x18"x1½"±	MC	LOOSE	LOOSE	—	50	1700
Steps 48"x16"x6"±	AM, BLT, BM, FV, GM, INB, LB, PG	LOOSE	LOOSE	32	6	2600
Thin Veneer Flat 1"±	CTG, TF	LOOSE	LOOSE	150	—	2000
Thin Veneer Corner 1"±	CTG, TF	LOOSE	LOOSE	80 lft	—	1000
Thin Veneer Flat 1"±	AM, BP, CB, GMB, HM, MO, SP, SQ	LOOSE	LOOSE	200	—	2700
Thin Veneer Corner 1"±	AM, BP, CB, GMB, HM, MO, SP, SQ	LOOSE	LOOSE	80 lft	—	1000
Tile 12"x12"x½"±	BL, CG, MC	10	42	420	420	2500
Tile 12"x12"x¾"±	EMB	LOOSE	LOOSE	216	216	2000
Tile 12"x24"x½"±	BL, CG	LOOSE	LOOSE	400	200	2400
Tile 12"x24"x¾"±	EMB	LOOSE	LOOSE	216	108	2000
Tile 12"x24"x¾"±	ABL	LOOSE	LOOSE	264	132	2500
Tile 16"x16"x¾"±	FV	LOOSE	LOOSE	178	100	1900
Tile 16"x16"x½"±	BL, CG, MC	7	20	249	140	1600
Tile 16"x24"x¾"±	IB	LOOSE	LOOSE	267	100	2500
Tile 24"x24"x¾"±	EMB	LOOSE	LOOSE	144	36	1400
Tile 24"x24"x¾"±	FV	LOOSE	LOOSE	176	44	1700
Tile 24"x24"x½"±	BL, CG, MC	LOOSE	LOOSE	200	50	1300
Treads 48"x12"x1½"±	IB	LOOSE	LOOSE	72	18	1500
Treads 48"x12"x2"±	BLT, EBL, GM, LB, PG	LOOSE	LOOSE	72	18	2000
Treads 60"x16"x1½"±	IB	LOOSE	LOOSE	120	18	2500
Treads 60"x16"x2"±	AM, BL, BLT, BM, CG, EBL, FV, GM, INB, LB, PG	LOOSE	LOOSE	120	18	3200
Treads 72"x18"x2"±	GM, LB, PG	LOOSE	LOOSE	135	15	3700
Versailles Pattern ½"±	AIV, ASC, AWA	16sft/box	26	416	312	2400
Versailles Pattern ½"±	CG, MC	16sft/box	22	352	264	2100
Versailles Pattern ¾"±	IB	16sft/box	16	256	192	2200
Wall Cap 12"x24"x1¼"±	ABL, ABR, AYE, BM, FV, GM, IB, LB, PG, VW	LOOSE	LOOSE	168	84	3000
Wall Cap 12"x24"x1½"±	ABF, AM, BL, CG	LOOSE	LOOSE	150	75	3000
Wall Cap 14"x24"x2"±	AM, BLT, BM, EBL, FV, GM, IB, LB, PG, VW	LOOSE	LOOSE	103	44	3000
Wall Cap 16"x24"x2"±	ABL, ABR, ABF, AYE	LOOSE	LOOSE	107	40	3000
Window Sill 24"x3"x 2"±	AM, BM, CG, GM, SP	LOOSE	LOOSE	50	100	1450
Window Sill 36"x3"x 2"±	FV	LOOSE	LOOSE	120	160	3200